

HEALTH AND BEAUTY



www.promed.de







Certified according to DIN EN ISO 13485

CONTENTS

Electrical files	
Occupational safety	
Files for professional nail design	8
UV lamps + dust suction	17
Files for home use/travel	20
Drill bits	70
Health check	
Masks	
Air purifiers	
Blood pressure monitors.	
Thermometers	
Oximeters	
Blood glucose monitors	31
Therapy	
Inhalation	26
TENS/EMS	32
Wellness	
Massage	34
Heat	37
Room air/aroma diffuser	44
Aromatic oils	48
Shoes, soles and accessories	
Introduction to Promed comfort shoes	50
Overview of Promed shoes and indications	
Promed sizes tables	
Promed "Pedibelle" comfort shoes	
Promed post-op shoes	
Huber soles by Promed	
,	
Accessories	
Drill bits and more	70
Sleeves + inhalers	88
Electrodes + TENS/EMS	90
Medisana accessories	92
Advertising materials	93
Glossary	
	74



Art. 333001 | EAN 40 43641 33023 1

MNS-100 Particle-Filtering Half Mask EN 149:2001 +A1:2009; Regulation (EU) 2016/425

Also approved for studios, salons, hairdressers, pedicurists...





browed



Protection class FFP2 NR



3D design for comfortable breathing



3-layer filtration system



One size

- Protection against substances potentially harmful to human health, such as fine particulate matter, liquid aerosols and biological substances (bacteria, viruses, fungi). Effective prevention of allergens and germs.
 Protects you and your environment.
- High-grade filtration of 95% of all particles in the air
- Skin-friendly material with high wearing comfort
- Tested and CE certified according to standard EN 149:2001 +A1:2009; Regulation (EU) 2016/425 on personal protective equipment
- Optimum fit: V-shape with nose contour

- Hygienic individual packaging prevents the contamination of the mask before it is used.
- One size fits all. Masks for one-time use.
 Do not wash.
- Contents 10 units, including clips and instructions
- Also available in larger quantities on request for information, see: info@promed.de

TECHNICAL DATA

Type of mask: FFP2 NR, category III \cdot Product size (folded): 106.7 x 155 mm \cdot Product weight: approx. 8 g \cdot Usable for 3 years \cdot CE 2834



promed

MNS-100 black

Particle-Filtering Half Mask EN 149:2001 +A1:2009; Regulation (EU) 2016/425

Also approved for studios, salons, hairdressers, pedicurists...









Protection class FFP2 NR



3D design for comfortable breathing



3-layer filtration system



One size

- Protection against substances potentially harmful to human health, such as fine particulate matter, liquid aerosols and biological substances (bacteria, viruses, fungi). Effective prevention of allergens and germs.
 Protects you and your environment.
- High-grade filtration of 95% of all particles in the air
- Skin-friendly material with high wearing comfort
- Tested and CE certified according to standard EN 149:2001 +A1:2009; Regulation (EU) 2016/425 on personal protective equipment

- Optimum fit: V-shape with nose contour
- Hygienic individual packaging prevents the contamination of the mask before it is used.
- One size fits all. Masks for one-time use. Do not wash.
- Contents 10 units, including clips and instructions
- Also available in larger quantities on request for information, see: info@promed.de

TECHNICAL DATA

Type of mask: FFP2 NR, category III \cdot Product size (folded): 106.7 x 155 mm \cdot Product weight: approx. 8 g \cdot Usable for 3 years \cdot CE 2834





Art. 334000 | EAN 40 43641 33026 2

AC-4000

Air purifier with wifi function CADR (clean air delivery rate) cleaning performance of up to 420 m³/h

Effective against viruses and bacteria, all kinds of dust, pollen, mites, smoke/odours



- High filter capacity due to combination filter (HEPA filter H13, activated carbon, photo-catalytic, cold catalytic)
- 3-level aluminium pre-filter (washable)
- UV disinfection by means of ultraviolet light
- 3-stage colour display AQI for air quality (air quality indicator), integrated particle sensor
- CADR (clean air delivery rate) cleaning performance of up to $420 \text{ m}^3/\text{h}$



- Timer function from 1 to 9 hours
- Temperature indicator and humidity indicator
- The fan has 3 performance levels, as well as sleep mode, auto mode, manual mode
- Suitable for rooms up to 70 m²
- Automatic reminder to replace the filter
- Easy to use due to large touch display, child safety lock



Promed AC-4000 - the ideal solution for clean air in closed rooms.

This high-quality air purifier with combination filter effectively filters toxins such as viruses, bacteria, all kinds of dust (including fine particulate), mould, pollen, mites, smoke and odours. Up to 99.95% of frequently occurring micro-organisms are removed from the air.

> Filters particles effectively with an efficiency of up to 99.95%

Improved air purification by means of an ion generator: generates 5 million anions / cm³;

Improves air quality and promotes good health, particles are safely removed

TECHNICAL DATA

Application area:	approx. up to 70 m²
CADR cleaning performance:	380 - 420 m³/h (clean air delivery rate)
Anions concentration:	generates 5 million/cm³ (improved air quality)
UV lamp:	220 V, 4 W, 254 nm, UV-C, socket T5/G5

Power supply:	220 - 240 VAC, 50 Hz, rated output: 85 W
Noise level during operation:	35 dB (A) - 55 dB (A)
Dimensions in cm:	approx. 41.5 x 25.5 x 69.5
Weight:	approx. 8 kg

SCOPE OF DELIVERY

- 1x air purifier AC-4000
- 1x aluminium pre-filter and combination filter
- 1x UVC disinfecting tubular lamp
- 1x remote control
- 2x 1.5 V batteries AAA
- 1x instructions for use



Replacement accessories can be ordered: Filter set and UVC lamp

(see page 87)









Advantages of Promed files

We offer the latest technology and the best service from one single source.

High-quality for durable products.

Our highly qualified staff are consistently at your service if you have any questions.





Professional appliances for skin and nail care

As a leading manufacturer of technically sophisticated and tried-and-tested professional milling tools, Promed develops, researches and designs its appliances in close collaboration with both the users and the medical technology engineers.

We translate our more than 30 years of experience into useful developments for you that make the work with your customers much easier and quicker and more comfortable.

Promed was the first manufacturer to develop technical innovations such as ASC (automatic speed control) and the tried-and-tested OPC (overload protection control).

Promed appliances are subjected to both regular tests by recognised testing institutes as well as the highest German and global safety standards. In addition to outstanding technical innovations, our strengths also lie in our unique after sales service. If you wish, we can offer you a loaned appliance (only in Germany) for the annually-recommended customer service of your appliance.

We are represented at the following beauty trade fairs in Germany:







Technology that makes the difference

APE – automatic power electronics

for powerful, effective work. The intelligent electronics provide the motor with additional power, also at low speeds.

ASC – automatic speed control

The digital automatic speed control notices the loss of speed as soon as pressure is applied to the drill bit during the filing and automatically compensates for it. The appliance keeps to its set speed. The full power is always available to you. This allows you to work especially rapidly.

OPC – overload protection control

The unique overload protection automatically notices if the respective motor is overloaded and therefore prevents the appliance from being damaged. This is available for handpieces and in some instances for suction turbines.

Overload protection for the handpiece motor:

If the handpiece is blocked or overloaded, the handpiece and/or the suction turbine will switch off.

Overload protection for the suction turbine:

If the suction turbine does not receive sufficient cooling and the air temperature in the suction turbine casing exceeds a critical value, the suction turbine and the handpiece will switch off.

Promed – benefit from our know-how.

Safety stop

In the case of excessive speed and pressure during the sanding, the electronics will notice this and will switch off the appliance. In this case, it is necessary for you to set the appliance to zero (centre position) with the rotation direction switch/controller in order to put the appliance back into use.

Surfaces

Nail polish remover-resistant membrane in an elegant silver metallic look.

Performance

A higher performance for more torque is achieved through the intelligent, microprocessor-controlled electronics.

All-in-one controller

Large, practical and easy to operate, it also allows you to choose the speed and direction of rotation.

Handpieces

New development made from an aluminium/stainless steel combination in a lightweight design with precision ball bearings. Especially high-performance micro-motors. Exceptionally ergonomic with vibration-free working. Non-metal handpieces are made of special plastic.





Hand care

ASC

ASC (automatic speed control)



Safety stop



Foot care

OPC

OPC (overload protection control)



Cold light spotlight/LED light



Artificial nails



APE (automatic power electronics)



Battery operated



Art. 204040 | EAN 40 43641 20062 6

the file - 4040





The latest file with suction, with brushless handpiece and suction motor

INNOVATION AND TECHNOLOGY "Made in Germany"

Consistently high suction capacity!Very quiet!Lightweight, ergonomic handpiece!

1 Dual suction motor (brush-less):

The file 4040 is equipped with two brushless suction turbines. The high vacuum created by these ensures a consistently high suction capacity. During the milling, the extracted fine particulate goes from the handpiece head, through the hose and into the dust bag more quickly and easily. The brushless motors omit carbon dust soiling.

Especially quiet:

Despite the high suction performance, the special noise insulation allows for pleasant working conditions.

3 Ergonomic, lightweight handpiece (approx. 100 g) with automatic collet, suction hose and (filter) section:

Very lightweight, ergonomically shaped plastic handpiece with high-performance motor. High-quality finish. Ideal for working on finger and toe nails without damaging your joints. The micro-motor in the handpiece has a performance of up to 40,000 rpm. The standby button ensures fast switching on and off while working. Strong 360-degree suction directly on the milling tool.



The automatic collect allows the bits to be changed quickly and easily. Easy cleaning/disinfection of the handpiece and the highly flexible suction hose.

High-tech colour touch display(4.3 inches) with brushed front membrane:

Large, coloured, easy-to-use touch display. The handpiece speed can be adjusted to max. 40,000 rpm. Suction performance adjustable at 6 levels (Eco to Max). 3 memory buttons for repeat work steps. Display of direction of rotation, speed, suction capacity, safety information as well as service and filter replacement.



















5 Dust monitoring with safety switch-off:

The built-in dust sensor monitors the accumulation of dust in the appliance. In case of dust in the appliance – e.g. caused by a defective dust bag, the appliance switches off automatically to prevent damage to the motor.

6 Overheating protection (motor + handpiece):



The file is equipped with an automatic switch-off in case of overheating of the suction- or handpiece motor. If the appliance or the handpiece gets too hot, the motors switch off automatically.

TExpelled air filter to prevent fine particulate:

To protect the environment and your health, the integrated extracted air filter cleans the expelled air of fine particulate.

CLEAN AND CONSCIENTIOUS WORK

To protect your health and your environment, the fine particulate is extracted directly at the handpiece and goes into the filter bag during work.

The amount of dust in the studio is reduced to the minimum and affects neither your environment nor your health.



Dynamic, flat design – for your studio...



Expelled air grille

- Large display (4.3 inches) with touch and slider function, digital colour display
- Infinitely variable up to 40,000 rpm (clockwise/ anticlockwise rotation)
- 3 memory buttons for individual work steps
- Indicator for filter bag replacement
- Overheating protection: temperature-based safety motor shut-down
- Strong suction performance very quiet: adjustable at 6 levels (Eco - Max)
- Extremely lightweight, ergonomic handpiece (approx. 100 g) with standby button (dust-protected)

- Flexible suction hose (with a length of approx. 140 cm)
- Including hang-up bracket for easy working
- Maintenance indicator / maintenance interval indicator
- Including 2 filter bags (approx. 14x18 cm), exchangeable, tear-proof, extra large
- Optional: Foot pedal (on/off), see accessories, p. 86

TECHNICAL DATA

Dimensions: (WxHxD) 284x140x330 mm·Weight: approx. 3.5 kg·Mains voltage: 100-240 VAC, 50/60 Hz·Speed: up to 40,000 rpm·Size of the display: 4.3 inches·Length of mains cable: approx. 200 cm·Hose length: approx. 140 cm Volume: Suction capacity Eco= approx. 40 dB(A) Suction capacity Eco= approx. 50 dB(A)





Filter bags 1 x (white) +1x in appliance



Hose hang-up bracket



ACCESSORIES

Foot switch (On/Off)



Handpiece shelf



Art. 204036 | EAN 40 43641 20052 7 the file - 4030-SX2

For the sake of your health! Modern file with suction

> Very low dust exposure due to direct suction on the drill bits. Perfect for nail design and foot care.











- Membrane keypad (soft keys) with digital display
- Infinitely variable up to 30,000 rpm (clockwise/ anticlockwise rotation)
- 3 memory keys for individual speeds
- Indicator for filter bag replacement
- Temperature-based safety shut-down in the case of overload
- Strong suction performance (infinitely variable 350 watt turbine), very quiet
- Extremely lightweight, ergonomic handpiece (95 g) with standby switch

Flexible suction hose including hang-up bracket

promed

- Including 5+1 filter bags (approx. 14x18 cm), exchangeable, tear-proof, extra large
- Including handpiece holder
- Optional: Foot pedal (on/off), and electronic rocker pedal (see accessories, p. 86)

TECHNICAL DATA

Dimensions: (W x H x D) 225 x 170 x 230 mm · Weight: approx. 2.6 kg · Mains voltage: 230 VAC/50 Hz, 350 VA (115 VAC/60 Hz, 350 VA optional) · Turbine: 350 watts · Noise: 62 dBA, speed: up to 30,000 rpm





Keypad view and filter replacement display



ALLOWS FOR HEALTH-CONSCIOUS WORK





Filter bags 5 x (white) + 1x in appliance



Handpiece shelf



Cleaning tool for



Hose hang-up bracket

ACCESSORIES



Foot switch (on/off) or foot pedal (rocker pedal)



the file - 5040-SX2

High-performance professional spraying appliance

for foot care using the wet technique

With colour display!

All types of milling work in the area of foot care. Nail and callus treatment.













- High-performance micro-pump for the finest spray mist (adjustable)
- Automatic jet cleaning when switching on and off
- Automatic pump cleaning
- Handpiece max. 40,000 rpm (clockwise/anti-clockwise rotation)
- Ergonomic handpiece with integrated spraying appliance
- Digital display of the recommended drill bit

- Overload protection for handpiece motor
- Standby key for all functions
- Standby rocker switch on handpiece
- Water reservoir (410 ml) easy to refill with an attachment system
- Optional: Foot pedal (on/off), and electronic rocker pedal (see accessories, p. 86)

TECHNICAL DATA

Power supply: 230 VAC/115 VAC, 50/60 Hz, $105 \text{ VA} \cdot 207 \times 163 \times 245 \text{ mm}$ (LxWxH) · Pump capacity: 550 mbar, 8 ml/min. · Weight: Handpiece 112 g, appliance overall approx. 3.2 kg

NEW FEATURES OF THE APPLIANCE

(compared to predecessor model)

Automatic jet cleaning:

When the appliance is switched on, it starts by blowing air through the jets only in order to remove any dirt. When the appliance is switched off, the spray pump continues running for several seconds in order to clean the jet and/or the hose system.

2 Spray setting

The file is equipped with a high-performance micro-pump which generates the finest spray. It offers the possibility to individually adjust the spray pattern of the spray to the spray liquid which is used.



Scale for setting the spray pattern





Art. 202025 | EAN 40 43641 20053 4

the file - 2020

The latest generation of files for continuous work

For the professional care of feet and nails















- Speed infinitely variable up to 20,000 rpm
- Ergonomic, powerful, vibration-free stainless steel handpiece (160 g), special design for foot care
- Professional rotary collet
- 5 LEDs for speed display
- 1 LED for foot pedal display
- Safety stop
- ASC (automatic speed control)



promed

- All-in-one controller
- Rotary knob with brightly sparkling gemstone (diamond shape)
- Foot pedal optionally available (on/off) (see accessories, p. 86)

TECHNICAL DATA

Speed: Infinitely variable up to 20,000 rpm \cdot Power supply: 100 - 240 VAC, 50/60 Hz, 800 mA; Sec. 24 VDC, 1.5 A \cdot Weight: 450 g \cdot Weight of handpiece: 160 g \cdot Dimensions: 130 x 200 x 100 mm (D x W x H)

Art. 201030 | EAN 40 43641 20036 7

the file - 1030

The latest generation of files for professional nail design

For the professional treatment of artificial and natural nails and nail design with continuous use



Product video:



- Speed infinitely variable up to 30,000 rpm
- Ergonomic, powerful, vibration-free stainless steel handpiece (160 g)
- Professional rotary collet
- 5 LEDs for speed display
- 1 LED for foot pedal display

ASC (automatic speed control)

• Safety stop



- All-in-one controller
- Rotary knob with brightly sparkling gemstone (diamond shape)
- Foot pedal optionally available (on/off) (see accessories, p. 86)

TECHNICAL DATA

Speed: Infinitely variable up to 30,000 rpm \cdot Power supply: 100 - 240 VAC, 50/60 Hz, 800 mA; Sec. 24 VDC, 1.5 A \cdot Weight: 450 g \cdot Weight of handpiece: 160 g \cdot Dimensions: $130 \times 200 \times 100$ mm ($0 \times W \times H$)



the file - 625

For manicure work as well as straightforward nail design; also for delicate work during pedicures



promed









- Speed infinitely variable up to 25,000 rpm
- Lightweight, ergonomic, powerful, vibration-free stainless steel handpiece (160 g)
- Professional rotary collet
- 5 LEDs for speed display
- Safety stop

- All-in-one controller (clockwise and anticlockwise, on/off)
- Rotary knob with brightly sparkling gemstone (diamond shape)
- Space-saving, elegant design

TECHNICAL DATA

Speed: Infinitely variable up to 25,000 rpm \cdot Power supply: 100 - 240 AC, 50/60 Hz, 1,200 mA; Sec. 24 VDC, 1.5 A \cdot Energy consumption at zero load: < 0.3 W \cdot Average efficiency during operation: Level VI

Art. 200620 | EAN 40 43641 20032 9

the file - 620

The entry-level appliance for sophisticated nail design

Ideal for fingernails and toenails, whether natural, gel or acrylic. Minor calluses and hardened skin can also be removed effortlessly.













- Handpiece in mauve glitter look (75 g)
- Automatic quick-release collet for standard bits (shaft ø 2.332 - 2.350 mm)
- Rest for the handpiece on the appliance
- All-in-one controller (20,000 rpm (clockwise/anti-clockwise rotation, on/off)
- Rotary knob with brightly sparkling gemstone (diamond shape)
- Safety stop (stop in cases of overload)
- Speed display
- Lightest weight appliance on the market

TECHNICAL DATA

Power supply: 100 - 240 VAC, 50/60 Hz, 800 mA; Sec. 24 VDC, 1.5 A \cdot Rotation: 20,000 rpm \cdot Dimensions approx. 110 x 90 x 80 mm (LxWxH) \cdot Weight: Handpiece 75 g





Art. 330210 | EAN 40 43641 33004 0

UC-50 Ultrasonic cleaning appliance

Used for: Genuine jewellery, glasses, dentures, instruments, drill bits, CDs/DVDs and much more.

Suitable for tap water







- Cleans instruments, drill bits, genuine jewellery, watches, CDs/DVDs, dentures, etc. with ultrasonic,
- Very stable and quiet

high-frequency vibrations.

Automatic switch-off of the UC-50 when the timer expires





Illuminated LCD display; timer function (5 timer times)

Picture only serves

- Also suitable for tap water
- Suitable for disinfectants (improved cleaning and disinfection)
- Accessories: Basket, bit holder, CD holder, watch holder



Art. 230110 | EAN 40 43641 23001 2 | **white Art. 230115** | EAN 40 43641 23005 0 | **pink**

promed

nailfan:

Appliance for the removal of harmful fine particulate

Tested dust protection class "L" -DIN EN ISO 60335-2-69



No cold fingers due to the lateral removal of cold air





Product video:



- The Promed nailfan stands out due to its tested dust class "L", its quality, its ease of use and its exceptional performance
- Ergonomic design for fatigue-free working for you and your customers
- Exchangeable, antistatic upholstered cover
- No cold fingers despite strong suction power
- Low noise with low power consumption
- Very large dust collection area of up to 20 cm

- Large (11 x 19 cm), easily replaceable fine particulate filter (washable!)
- No filter bag necessary
- Separate dust emptying compartment; antistatic casing
- Including second filter, 1x Promed dust cloth
- Accessories (p. 87)

TECHNICAL DATA

Dimensions: (WxHxD) 308 x140 x 340 mm \cdot Weight: approx. 1.8 kg \cdot Mains power: 230 VAC, 50 Hz Fan: Performance: 22 W, Noise: 46 dBA \cdot Max. air volume 180 m³/h

Art. 230120 | EAN 40 43641 230067

nailfan Mini

Dust suction

Suitable for fingernails and toenails









promed



- 2 adjustable suction levels (low noise)
- High suction capacity on the entire work surface
- Easy replacement and cleaning of the filter (reusable)
- Ergonomic design with customer-friendly working height for the hands
- Small, handy and transportable also for travel
- Accessories (p. 87)

TECHNICAL DATA

Dimensions: (Wx Hx D) 240 x 185 x 60 mm \cdot Weight: approx. 570 g \cdot Mains power: 100 - 240 VAC, 50/60 Hz 0.6 A \cdot Fan: Level I: 3,000 rpm / 24 W, Level II: 4,500 rpm / 36 W



Art. 223005 | EAN 40 43641 22004 4

UVL-54 "All-In"

UV LED light hardening appliance



Suitable for hardening of all UV/LED gel and acrylic materials







- Suitable for fingernails and toenails,
 for hardening of UV + LED gel and acrylic
- Dual power system with 36 LEDs for even hardening
- 4 different timer levels (10 s / 30 s / 60 s / 99 s)
- Anti-heat function with 99 s timer
- Removable base (magnetic)





- Automatic sensor system (on/off integrated light barrier up to 120 s)
- High-definition LEDs: Lifespan approx. 50,000 hours
- Digital display

TECHNICAL DATA

Dimensions (LxWxH) in mm: 221 x 205 x 92; Power supply: 100 - 240 VAC; 50/60 Hz, 0.3 A; Wovelength of UV LED(Λ): 365 nm - 405 nm; LED lifespon: approx. 50,000 h; tunnel dimensions in mm: 130 x 48 x 127 (WxHxD)

Art. 330040 (white) | EAN 40 43641 33019 4 **Art. 330045 (pink)** | EAN 40 43641 33020 0

UVL-36 S

UV light for hardening of gel and acrylic





- Professional nail design for the home
- Ideal for hardening of gel and acrylic
- 360 degree reflective surface for even hardening
- Easy operation due to 4-stage timer (90 s/120 s/30 min./60 min.)
- Removable base for easy replacement of the light
- 4 slip-proof rubber feet for stable standing
- See p. 87 for accessories

TECHNICAL DATA


Dimensions: approx. $253 \times 221 \times 113$ mm (LxWxH) · Weight: approx. 1.04 kg · Mains power: 230 VAC, 50 Hz, 36 W · Operating times: $90 \times 120 \times 30$ min. /60 min. · Light socket 623 · Wavelength of the lights: $\lambda = 365$ nm



Art. 224010 | EAN 40 43 641 22003 7

LTM-30

LED table magnifying lamp













- Compact LED table magnifying lamp for your workplace, your workshop, for reading, and much more
- 30 individual LED bulbs ensure excellent light output
- 175% magnification while working (3 dpt)
- High-quality 4-inch lens with protective cover
- Easy adjustment of the lens position and height
- Swivelling head and arm joints (multidimensional)





promed

- Ergonomic design and stable base
- Extremely long-life LEDs (high-quality long-life)
- LEDs are much more robust than conventional neon tubes
- Cool shadowless lighting for bright, comfortable working
- Lens size: 4-inch lens (Ø 10.2 cm)
- Colour temperature: 6,200 K (neutral white)
- Dimensions (ØxWxH): 16x18x39 mm

Art. 330110 | EAN 40 43641 33017 0

LTL-749

LED table lamp for maximum flexibility





- Very bright and even illumination
- No tired eyes, relaxed working
- Ideal for your nail studio, your workplace, on every table, in the bedroom or at school
- 3-level brightness dimming at the touch of a button
- Multidimensional 3-axis adjustment
- 360° all-round adjustable LED tube

- High-quality, long-life LED tube: approx. 40,000 hours
- Energy saving compared with conventional lamps
- LED lamp with integrated glare protection
- Frame made of high-quality aluminium
- Anti-slip base
- Dimensions of the LED tube: approx. 33 cm in length
- Brightness: approx. 5,000 K (corresponds to daylight)



promed



Art. 200630 | EAN 40 43641 20033 6

the file - 620 deluxe (Manicure/pedicure)

Including 43-part accessory kit

Lightest weight appliance on the market!

"The professional class for home use



FEILEN LEICHT GEM



- Infinitely variable up to 20,000 rpm (clockwise / anticlockwise rotation)
- Handpiece in mauve glitter look (only 75 g)
- Separate power supply unit for maximum torque

promed

promed

- All-in-one controller
- Overload protection control
- Rotary knob with brightly sparkling gemstone (diamond shape)

Art. 114010 | EAN 40 43641 11006 2


Pedimed (callus remover)
Professional pedicure set for silky soft feet











- Quickly and easily moves calluses on your feet and heel from the first application
- Soft and efficient treatment of your skin and nails
- Safe and easy operation due to its ergonomic design
- Slim, lightweight file which is easy to hold



- Powerful 20,000 rpm (switchable clockwise/anticlockwise rotation)
- High-quality, durable drill bits with a standard shaft dental diameter
- Also ideal for journeys and travel
- Including 30 sanding bands, 5 drill bits in a designer box, designer case



Art. 143220 | EAN 40 43641 14009 0

Ultra pro S (Manicure/pedicure)



Including 42-part accessory kit

"Elegant, first class"





- The speed is infinitely variable up to 13,000 rpm using the keys
- The professional clockwise/anticlockwise rotation simplifies work in difficult areas
- An all-rounder for nail care, callus removal and also for nail design
- Practical storage case

Art. 133110 | EAN 40 43641 13019 0

Pedisenso Duo (Manicure/pedicure)





- Injury-free working due to "diabetic-friendly safety collet"
- Automatic stop with excessive pressure
- Tried-and-tested powerful technology with planetary gearbox (for callus removal)
- Infinitely variable speed control up to 4,000 rpm
- Accessories: See p. 84 for collets
- Practical storage case



Art. 173010 | EAN 40 43641 17001 1

Sensitive (Manicure/pedicure)

Including 42-part accessory kit

"The extra class unit with LED lighting"

Product video:











- Cold light spotlight (LED lighting), safety stop
- Infinitely variable speed control up to 12,000 rpm
- Easy to use, dust-protected soft-touch buttons to control the clockwise/anticlockwise rotation
- Power transformer for high-torque power delivery; intensity display with 5 LEDs
- Including practical travel case and microfibre dust cloth

Art. 100030 | EAN 40 43641 10005 6

Emotion (Manicure/pedicure)



Including 41-part accessory kit

"All-round appliance with LED light"

With storage box

With cold LED spotlight



- For easy and safe care of nails and problem areas such as calloused skin on the ball of the foot or heel
- Speed infinitely variable up to 12,000 rpm



Convenient button operation for speed and with clockwise/anticlockwise rotation



Feeling

(Manicure/pedicure)















prohed holing



including bit holder

- Shortens and shapes nails, repairs torn (artificial) nails, easily removes cuticles and thickened areas of skin
- New collet for faster bit changes, optimised concentricity
- 2 levels (7,000 rpm, 11,000 rpm)
- Maximum freedom of movement without cables
- Very powerful motor (new) for battery operation

Item number to follow when available

Feeling NEXT GENERATION (Manicure/pedicure)

New: now with USB charging function!

Including 6-part accessory kit

Available soon

"With battery operation"




















- Shortens and shapes nails, repairs torn (artificial) nails, easily removes cuticles and thickened areas of skin
- New collet for faster bit changes, optimised concentricity
- 2 levels (7,000 rpm, 11,000 rpm)
- Maximum freedom of movement without cables
- Very powerful motor (new) for battery operation







Blood pressure monitors support better preventative health care and optimise your health.

The first step to better health: Monitoring

Health checks are increasingly being prioritised by many people – on the one hand, due to the better health education of the general population, and on the other, because of the progress in the field of medical research.

Regularly measure and monitor your blood pressure and heart rate with precision. Keep track of your health and identify irregularities in good time.



PBM-4.2

Upper arm blood pressure monitor

bromed

Including sleeve (22-42 cm), carry case and 4 batteries















- Precise measurement on your upper arm
- 2 x 90 memory spaces (2 users)
- Display screen: Systolic, diastolic, heart rate, date, time
- Arrhythmia indicator
- Average value display of last 3 measurements
- Classification of measured values according to WHO

Sleeves in various sizes, see page 88

- Large digital LCD display
- Automatic switch-off function after 3 minutes
- Including 22-42 cm sized sleeve
- Including 4 x AA batteries (1.5 V)
- Measuring range: blood pressure: 0-299 mmHg
 - Heart rate: 40-199 bpm

Art. 402010 | EAN 40 43641 40011 8

PBM-3.5

Upper arm blood pressure monitor











- Precise blood pressure measurement on your upper arm
- 90 memory spaces each for 2 users
- Display screen: Systolic, diastolic, heart rate, date, time
- Arrhythmia indicator
- Average value display of last 3 measurements
- Large digital LCD display: approx. 72 x 53 mm

Sleeves in various sizes, see page 88

- Automatic switch-off function after 3 minutes
- Operates with 4 AA batteries or 6 volt mains adapter
- Includes: Batteries and storage bag
- Measuring range: blood pressure: 0-299 mmHg
 - Heart rate: 40-199 bpm



promed

HGP-30

Wrist blood pressure monitor







- 120 memory spaces each for 2 users
- Display: Systolic, diastolic, heart rate, date, time
- Arrhythmia indicator
- Battery level indicator
- Calculation of the average of the last 3 saved values
- Classification of measured values according to the WHO assessment system
- Includes: 2x AAA (1.5 V) batteries, storage box
- Sleeve for 135 210 mm wrist size
- Measuring range: Pressure: 30-280 mmHg

- Heart rate: 40-200 bpm

Art. 421010 | EAN 40 43641 40041 5

INH-2.1 Ultrasonic inhaler Gentle treatment in the case of respiratory diseases

Suitable for allergy sufferers: 100% latex-free

Handy starter set for travel









- High efficiency due to innovative micro membrane nebulisation (mesh technology) with tiny droplets
- Short inhalation time due to very high nebulisation performance (0.2 - 1.0 ml/min.)
- Particularly efficient due to the high respirable aerosol proportion
- Inhalation with mask or mouthpiece
 also suitable for children
- Low noise nebulisation

- Small and handy (portable) ideal for travel
- Filling volume content: max. 8 ml
- Nebulisation performance: approx. 0.2 1.0 ml/min.
- Particle size: 5.5 µm
- Size: approx. 42 x 45 x 93 mm
- Includes: Storage bag, mouthpiece, mask for children and adults, connecting piece, batteries (for accessories, see page 89)



IRT-100

Infra-red thermometer











Normal temperature display



"High temperature alarm" with colour display









- Non-contact infra-red thermometer
- Hygienic and safe measuring without skin contact
- Within seconds: Precise measuring of the body, room and surface temperature
- Visual high temperature alarm; 30 memory spaces
- 2 different display colours for normal and high temperature
- Display in °C and °F
- Automatic switch-off (after 3 min.)
- Measuring range for body: 32.0 42.9°C
- Measuring range for surfaces/objects: 0 100°C
- Including 2 batteries







- Non-contact infra-red high temperature thermometer
- Hygienic and safe measuring
- Measurement of body and object temperature within seconds
- High temperature alarm (visual and acoustic)
- 35 memory spaces
- 2 different display colours

- For normal and high temperature
- Display in °C and °F
- Automatic switch-off (after 10 sec.)
- Measuring range for body: 32.0 42.9°C
- Measuring range for surfaces/objects: 0 100°C
- Includes storage bag and 2 batteries

Art. 431005 | EAN 40 43641 40076 7

PFT-3.7

Digital high temperature thermometer











- Precise body temperature measurement: oral, axillary, rectal
- Acoustic signal when appliance ready to measure
- Acoustic high temperature alarm
- Automatic storage of last measurement value
- Waterproof

- Automatic switch-off after 10 minutes
- LCD display with digital indicator
- Easy to change batteries
- Measurement range: 32.0 42.9°C





Art. 481010 | EAN 40 43641 40082 8

PM-200 Pro

Fingertip pulse oximeter







- Display in column or wave format
- Choice of 6 different display formats
- 4 adjustable brightness levels
- Two-colour OLED display
- Battery level indicator

- Automatic switch-off after 8 seconds
- Includes carrying strap and $2 \times AA$ batteries (1.5 V)
- Size: approx. $59.4 \times 33 \times 31.2 \text{ mm}$
- SpO₂: Measurement range: 70%-100%
- PR: Measurement range: 30 bpm 254 bpm



PM 100 connect Bluetooth

Pulse oximeter





- Pulse oximeter for measuring the blood oxygen level (SpO₂%) and heart rate (pulse)
- Two-colour OLED display
- Adjustable display brightness at 10 levels
- Easy "one touch" operation also ideal for travel



- Oxygen level (SpO₂) and pulse rate can be displayed in bar or wave form
- 6 different display formats
- Automatic switch-off after 8 seconds
- Battery level indicator
- Includes carrying strap
- Includes batteries (2 x 1.5 V AAA)

Art. M79455 | EAN 40 15588 79455 1

PM 100

Pulse oximeter



- - Pulse oximeter for measuring the blood oxygen level (SpO₂%) and heart rate (pulse frequency)
 - Oxygen level (SpO₂) and pulse rate can be displayed in bar or wave form
 - Measured values shown on OLED display
 - 6 different display formats





- Adjustable display brightness at 10 levels
- Easy "one touch" operation also ideal for travel
- Battery level indicator
- Includes: Carrying strap and batteries



Meditouch 2 connect DUAL USB . Blood glucose monitor

Including "starter set": 10 test strips, lancing device, 10 lancets, AST cap, control solution, case, quick guide, batteries

Only available to order in Germany!

















- Insufficient fill detection
- Acoustic test reminder
- Memory for 480 measurement results

- Measuring unit individually adjustable: mg/dL and mmol/L
- Bluetooth® Smart (4.0) data transfer to the VitaDock+ app for iOS (from 7.0) and Android (from 4.3)
- Starter set including lancing device, AST cap, 10 lancets, 10 test strips, control solution, case
- For accessories, e.g. test strips, see p. 92

Art. M79030 | EAN 40 15588 79030 0 | mg/dL Art. M79034 | EAN 40 15588 79034 8 | mmol/L

Meditouch 2 USB • C Blood glucose monitor

Only approx. 5 seconds measuring time

Including "starter set": 10 test strips, lancing device, 10 lancets, AST cap, control solution, 5 alcohol pads, case, quick quide, diabetes diary, batteries











- Precise measurement accuracy according to the new ISO 15197: 2013 due to new test strip technology (GDH-FAD)
- Insufficient fill detection
- USB connection for data transfer to VitaDock Online and the VitaDock app for iOS (from 7.0) and Android
- Marking function for measured values before and after meals



Starter set

- Acoustic test reminder
- Average value display for 7/14/30/90 days
- Memory for 480 measurement results
- Automatic ketone warning
- Starter set including lancing device, AST cap, 10 lancets, 10 test strips, control solution, case
- 0.6 µl blood volume
- Large, easily readable display
- For accessories, e.g. test strips, see p. 92



Art. 352430 | EAN 40 43641 35034 5

IT-6 pelvic floor trainer
Therapeutic appliance for
training and strengthening the pelvic floor



Including 4 electrodes,
1x vaginal probe, batteries and
storage box





- Used to prevent or reduce bladder weakness
- Treatment of incontinence after giving birth
- Training the sphincter muscles for treating stress/urge/ mixed and faecal incontinence
- Using the electrical stimulation, you regain a feel for the pelvic floor and thus learn to effectively contract the pelvic muscles again



- The appliance fulfils all your needs through the simultaneous treatment of different regions using 4 electrode connections; the dual outputs mean that two probes can be used at the same time and controlled separately
- For anal and vaginal stimulation, can improve sex life
- See p. 90 for available accessories

Art. 352420 | EAN 40 43641 35030 7

EMT-6 combination appliance Digital, electrical pain therapy and muscle stimulation appliance

Can also be used in sports













- Designed for the treatment of chronic and acute pain conditions, mobility disorders and for the rehabilitation, maintenance, development and training of muscles and muscle groups (e.g. during sport)
- Can be prescribed by a doctor (health insurance reimbursement)



- Two channel appliance, biphasic asymmetrical, rectangular phase current, direct current neutral
- Scope of delivery: Combined appliance for TENS and EMS in a practical storage case,
 4 electrodes (40 x 40 mm), 2 electrode cables,
 batteries, belt clip
- Various electrodes see accessories p. 90



Art. 352410 | EAN 40 43641 35025 3

FMT-4

Digital, electronic pain and muscle stimulation appliance







promed







- 11 pre-set programmes and 2 freely programmable programmes
- Intensity and switch-on protection
- Combination appliance for electronic nerve and muscle stimulation, pain therapy and wellness
- Clock function, standby mode

- Can be prescribed by a doctor (health insurance reimbursement)
- Scope of delivery: Promed EMT-4 appliance, 2 pairs of self-adhesive electrodes (40 x 40 mm), appliance stand, batteries, 2 electrode connection cables, instructions for use, practical storage case, belt pouch
- Various electrodes see accessories p. 90

Art. 352020 | EAN 40 43641 35001 7

Tens 1000 s

Analogue, electronic pain therapy appliance

















- Separately adjustable frequency and pulse width, choice of 3 amplitude modulations
- Timer: continuously adjustable as well as at 15 and 30 min.
- Can be prescribed by a doctor (health insurance reimbursement)
- Scope of delivery: Promed Tens 1000 s, 4 self-adhesive electrodes (40 x 40 mm), 9-volt battery, 2 contact cables, instructions for use, a practical plastic case
- Various electrodes see accessories p. 90





ITM Pro Hand massage appliance 2 attachments each for finger massage and for acupressure









Powerful tapping massage action

Art. 621010 | EAN 40 43641 60006 8

- Smoothly adjustable control of massage intensity
- Connectible red light and warming function
- Various massage attachments: Acupressure and pressure point massage
- Ergonomic shape makes it easy to use
- Non-slip handle
- Extra-long wire
- 230 VAC/ 50 Hz/ 35 W





- Relaxing bubble and vibration massage
- Pleasant red light field
- Keep-warm function
- Massage rollers for foot reflex zone massage
- Massage-supporting insole
- Dry massage function

- 3 exchangeable pedicure attachments: (1) massage attachment, (2) callus remover, (3) brush
- Slip-proof rubber feet
- Comfortable size (suitable to shoe size 46)
- Power supply: 220-240 VAC / 50-60 Hz / 80 W













- Ergonomic shape, easy to hold
- Made from non-rust stainless steel.
- 7 jets at the end of the rod
- Including 2x pipeline pressure reducer, 1x storage box
- Connection thread: G1/2 inch
- Autoclavable and dishwasher safe
- Made in Germany.
- 10-year guarantee



- Ergonomic shape, easy to hold
- Made from non-rust, high-quality stainless steel.
- 10 jets at the end of the rod
- Including pipeline pressure regulator and instructions
- Autoclavable and dishwasher safe
- 2-year guarantee
- Connection thread: G1/2 inch
- Weight: approx. 205 g



KHP-2.3 G

"Sherpa" cosy electric blanket









- 9 different adjustable times (1-9 hrs.)
- Fast, powerful warm-up with 150 watts (Turbo Heat)
- Safety system with overheating protection
- Automatic switch-off according to chosen time setting
- Pleasant cosy warmth on the entire surface







- Practical controller with illuminated LED control display
- Fluffy, soft upper material, double-sided
- Washable at 40°C due to removable switch
- Material: 100% polyester flannel
- Size: approx. 180 x 130 cm
- Performance: 150 watts

Art. 452110 | EAN 40 43641 40025 5

KHP-2.3

Cosy electric blankets





- 10 temperature levels
- 9 different adjustable times (1-9 hours)
- Fast, powerful warm-up with 150 watts (Turbo Heat)
- Safety system with overheating protection
- Automatic switch-off according to chosen time setting
- Pleasant cosy warmth on the entire surface

- Practical controller
- Fluffy, soft upper material
- Washable at 40°C due to removable switch
- Material: 100% polyester flannel
- Size: approx. 180 x 130 cm
- Performance: 150 watts



Knitted electric blanket

















- 6 temperature levels
- Fast, powerful warm-up with 160 watts (Turbo Heat)
- Safety system with overheating protection
- Automatic switch-off after approx. 3 hours
- Pleasant cosy warmth on the entire surface
- Practical controller

- Fluffy, soft upper material, double-sided with knit pattern
- Washable at 30 degrees due to removable switch
- Material: 100% polyesterSize: approx. 180 x 130 cm
- Performance: 160 watts

Art. 612020 | EAN 40 43641 60026 6

HKP-1.8 XXL Heating pads

















- Heats up quickly with 100 watts (Turbo Heat)
- Automatic switch-off after 90 minutes
- Safety system with overheating protection
- Easy to use, ergonomic operation/switch
- Including elasticated body strap with Velcro fastener and storage bag





• Washable at 30°C on a gentle cycle

• Material: 100% polyester

• Size: approx. 60 x 30 cm

• Performance: 100 watts







sehr gut (1,2)

















- Automatic switch-off after 90 minutes
- Heats up quickly with 100 watts (Turbo Heat)
- Heats into the neck area
- Safety system with overheating protection
- Fluffy, soft upper material which is comfortable to wear
- Easy to use, ergonomic operation/switch
- Washable at 30°C
- Material: 100% polyester
- Size: approx. 52×56 cm
- Performance: 100 watts

Art. 614010 | EAN 40 45641 60011 2

NRP-5.4

Back and neck heating pad





- 30°
 - *≡TURBO* HEAT 100W
- 4 temperature levels
- Automatic switch-off after 90 minutes
- Heats into the neck area
- Safety system with overheating protection
- Washable at 30°C
- Fluffy, soft upper material which is comfortable to wear



- Easy to use, ergonomic operation/switch
- Size when open approx. $60 \times 90 \text{ cm}$
- Material: 100% polyester
- Performance: 100 watts





NRP-2.4

Back and neck heating pad













- 10 temperature levels
- 9 different adjustable times (10-90 min.)
- Heats up quickly with 100 watts (Turbo Heat)
- Automatic switch-off
- Safety system with overheating protection
- Pleasantly soft removable cover
- Machine washable at 40°





promed

- Especially soft, plush fleece cushion
- Perfect hold due to back- and neck-hugging shape
- Practical Velcro strap for customised positioning of the cushion
- Material: 95% plush fleece, 5% nylon
- Size: approx. 39 x 63 cm
- Performance: 100 watts

Art. 450130 | EAN 40 43641 40027 9

HGP -1.7 Heated belt





- 10 temperature levels
- 9 different adjustable times (10-90 min.)

100W

- Heats up quickly with 100 watts (Turbo Heat)
- Safety system with overheating protection
- Perfect hold due to adjustable Velcro strap
- Ergonomic operation/switch
- Suitable for an abdominal radius of approx. 125 cm






- Variable wearing comfort: Around the stomach or diagonally across the back
- Practical Velcro strap for customised positioning of the cushion
- Washable at 40°C due to removable switch
- Size: approx. 58 x 30 cm
- Material: 90% plush fleece, 10% nylon
- Performance: 100 watts



Cosy heating pad





- 3 temperature levels
- Automatic switch-off after 90 minutes
- Cover and cushion washable at 40°C due to removable switch
- Safety system with overheating protection
- Easy to use, ergonomic operation/switch
- Heats up quickly with 100 watts (Turbo Heat)
- Including a pad cover (can also be used without cover)

- Fluffy, soft upper material and cuddly cover
- Material: 100% polyester
- Size: approx. $40 \times 30 \text{ cm}$
- Weight: approx. 0.4 kg
- Performance: 100 watts
- Power supply: 230 V/50 Hz

Art. 612015 | EAN 40 43641 60010 5 HKP-1.6 XL

Cosy heating pad

















- 6 temperature levels
- Automatic switch-off after 90 minutes
- Heats up quickly with 100 watts (Turbo Heat)
- Easy to use, ergonomic operation/switch
- Includes a 2-sided heading pad cover (can also be used without cover)



- Fluffy, soft upper material and cuddly cover
- Cover washable at 30°C
- Size: approx. 46 x 35 cm
- Material: 100% polyester
- Performance: 100 watts



KFS-100 foot warmer

"No more cold feet"











- 6 temperature levels
- Turbo Heat with powerful 100 watt
- Automatic switch-off after 90 minutes
- Safety system with overheating protection
- Ergonomic controller with illuminated LED control display



- Removable, fluffy-soft inner lining
- Inner lining machine-washable at 30°C
- Exceptionally soft, breathable fabric core
- Large foot space (suitable up to shoe size 46)
- Material: Microfibre (foot warmer), flannel (inner lining)
- Size: approx. 30x30x23 cm

Art. 452210 | EAN 40 43641 40058 3

UBS-2.4 Underbed Cosy and soothing warmth











- 10 temperature levels
- Rapid heat-up time due to 120 watts (Turbo Heat)
- Safety system with overheating protection
- Automatic switch-off according to chosen time setting (1-9 hrs.)
- Pleasantly gentle and evenly distributed warmth for a restful sleep
- Cosy, breathable material



promed



- Convenient controller with illuminated LED control display
- Machine washable at 40°C due to removable switch
- Material: 100% cotton (top side) 100% polyester (underside)
- Size: approx. 150 x 70 cm







Art. 651025 | EAN 40 43641 60014 3

AL-1300 WS

Aroma diffuser with 7-fold LED colour change



Water tank and nebuliser zone made from antibacterial material – possible bacterial emissions are effectively reduced

NEW: with timer function

BPA free and with ultrasonic technology

Dimensions: approx. 15.8 x 22.4 cm









- Aroma diffuser in noble wood look in timeless design, suitable for all room designs; ideal for aromatic oils
- Humidifies and freshens the air in the room for a soothing and therapeutic atmosphere
- Using ultrasonic technology, creates a fine mist of fragrance that spreads throughout the room
- High efficiency due to micro-fine atomisation
- Running time approx. 10 14 hours, strong nebulisation
- Suitable for all large and medium-sized rooms
- Automatic switch-off when tank empty



- Wellness light in 7 colours, individually selectable
- Low noise and energy-saving
- Timer function: 1/3/6 hrs.
- Includes: Power adapter
- Very large water tank XXL: 1.3 litre
- 100-240 VAC / 50-60 Hz 24 VDC / 500 mA / 12 W
- See page 48/49 for aromatics



Aroma diffuser with flame effect

promed

LED wellness light with flame effect

Dimensions: approx. 210 x 135 x 81 mm





- Aroma diffuser with flame light for aromatic oils
- Humidifies and freshens the air in the room for a soothing and therapeutic atmosphere
- Using ultrasonic technology, creates a fine mist of fragrance that spreads throughout the room
- High efficiency due to micro-fine atomisation
- Automatic switch-off when tank empty

- Low noise and energy-saving
- Includes: power adapter and water measuring cup
- Large 240 ml water tank
- 100-240 VAC / 50-60 Hz
 24 VDC / 500 mA / 12 W
- See page 48/49 for aromatics

Art. 651040 | EAN 40 43641 600023 5

AL-400 CL

Aroma diffuser with clock and 7-fold LED colour change

With highlights in noble wood look

Dimensions: approx. 210x135x81 mm














- Using ultrasonic technology, creates a fine mist of fragrance that spreads throughout the room
- Wellness light with automatic colour change in 7 colours (colours: can be individually set and dimmed)
- Interval function (30 sec.) of the scented mist
- High efficiency due to micro-fine atomisation



- Automatic switch-off when tank empty
- Low noise and energy-saving
- Includes: power adapter and water measuring cup
- Large 400 ml water tank
- 100 240 VAC / 50 60 Hz 24 VDC / 300 mA / 12 W
- See page 48/49 for aromatics

promed













- Aroma diffuser in high-quality wood visuals for aromatic oils
- Humidifies and freshens the air in the room for a soothing and therapeutic atmosphere
- Using ultrasonic technology, creates a fine mist of fragrance that spreads throughout the room
- High efficiency due to micro-fine atomisation

- Automatic switch-off when tank empty
- Wellness light with 7-fold colour change
- Low noise and energy-saving
- Includes: Power adapter
- Economical consumption, large 150 ml water tank
- 100-240 VAC / 50-60 Hz 24 VDC / 500 mA / 7 W
- See page 48/49 for aromatics

Art. 651010 | EAN 40 43641 60003 7

AI-305

Aroma diffuser with 5-fold LED colour change

Dimensions: approx. 15.8 x 22.4 cm

BPA free and with ultrasonic technology













- Aroma diffuser for aromatic oils
- Using ultrasonic technology, it creates a fine mist of fragrance that spreads throughout your entire room
- High efficiency due to micro-fine atomisation
- Automatic switch-off when tank empty
- Timer for programming the operating time: 2 and 4 hours

- Wellness light with 5-fold colour change
- Low noise and energy-saving
- Includes: Refillable reservoir, power adapter
- 300 ml water tank; runtime: approx. 5 9 hrs.
- 100 240 VAC / 50 60 Hz 24 VDC / 500 mA /12 W
- See page 48/49 for aromatics











Aromatic oil / aromatic essences

(100% essential oil / composition / perfume oil)







Relax aromatic oil (10 ml) 262010 EAN 40 43641 26005 7









Be Happy aromatic oil (10 ml) 262011 EAN 40 43641 26006 4

Lavender aromatic essence (10 ml) 262012 40 43641 26007 1 EAN

Lemon Grass aromatic essence (10 ml) 262013 EAN 40 43641 26008 8









Orange aromatic essence (10 ml)

262015 EAN 40 43641 26010 1

Nature-like oil, cinnamon (10 ml) 262017 EAN 40 43641 26012 5

Eucalyptus aromatic essence (10 ml) 262018 EAN 40 43641 26013 2



Promed aromatic oils are made in Germany - made from the best natural products, processed into 100% essential oil – and provide for a pleasant, sensual fragrance. Let yourself be inspired.



(100% essential oil / composition / perfume oil)



Cinnamon-orange aromatic essence (10 ml)

262019

4043641 26015 6 EAN



Lemon aromatic essence (10 ml)

262020 Art.

EAN 4043641 26016 3



Peach perfume oil (10 ml)

262021

EAN 4043641 26017 0



Apple-cinnamon perfume oil (10 ml)

262022 EAN 4043641 26018 7



Wild Cherry perfume oil (10 ml)

Art.

4043641 26019 4 EAN



Vanilla perfume oil (10 ml)

262024

EAN 4043641 26020 0



Rose perfume oil (10 ml)

262025

EAN 4043641 26021 7



Grapefruit aromatic essence (10 ml)

262027 Art.

EAN 4043641 26023 1



Lime aromatic essence (10 ml)

262028 Art.

EAN 4043641 26024 8

100% essential oil composition/perfume oil

Bottle contents: 10 ml

Packaged in a decorative box

- Made in Germany.
- In 3 languages (DE, EN, FR)
- 26×26×72 mm (L×W×H)
- Suitable for aromatic lamps/aroma diffusers, e.g.: Al-305, Al-150 WS, Al-1300 WS, Al-400 CL, AL-240 FL



WE MAKE YOU MOBILE!



HOLISTIC QUALITY SHOE CONCEPT

Special shoes for short and long-term care are an essential part of the Promed product range. The continuous further development in collaboration with orthopaedic specialists, medical specialists, rehabilitation centres, geriatric nurses and diabetes specialists has created one of the most holistic collections for the areas of therapy, rehabilitation and post-operative care. Medical studies document the high standard of the individual models.

The best functionality, high-quality materials and first-class workmanship on the one hand, and innovative ideas and pioneering technology on the other, characterise this holistic, high-quality shoe concept.

Softstep sole concept post-op shoes

In most cases, the outer sole of a post-op shoe doesn't look very spectacular. In most cases, this is not the intention, as the focus is on supporting the healing process. This is precisely why working together with specialists, Promed has come up with a range of intelligent solutions that can provide both relief for patients and support the healing processes.



Front area without tread

This makes everyday walking easier for people in the case of neuropathy and limping.



THE PROMED SOFTSTEP SOLE CONCEPT COMBINES SAFETY AND COMFORT TO A PARTICULARLY SUCCESSFUL DEGREE.



Promed – excellent foot temperature

AIRMESH – THE TEMPERATURE-REGULATING UPPER MATERIAL

(Meshline upper material)



Interior

AirMesh with EasyDry lining

The 3-layer shaft material (EasyDry, CosyFit, Mesh) ensures comfortable temperature-controlled feet, especially in the summer. The EasyDry fibre, which originates from the medical field, transports moisture away from

the foot and dries quickly. Also particularly suitable for allergy sufferers.

Models: TheraLight 1, TheraLight 2-S



The Promed "AirMesh" is particularly breathable due to its mesh structure and the 3 mm open-pore CosyFit lining foam, which makes it temperature-regulating and ensures a great feeling of well-being for your feet.

It originates from the medical field and is free of toxic components. It is particularly suitable for allergy sufferers and diabetics.





The 3-layer shaft material (new wool, CosyFit, mesh) ensures warm feet that don't overheat, especially in the winter.

Models: Gentlewalk-Hi, Gentlewalk-Lo

COSYFIT – THE BREATHABLE SHAFT MATERIAL

(Masterline insole)



Models:

all Masterline, apart from Münchenall Classicline, apart from München

- Classic 1 and 2.



This material ensures an exceptionally high level of wear comfort and better pressure relief in sensitive areas.

The multi-layer material absorbs the moisture of the foot well and dries quickly after wearing, thereby ensuring a good foot temperature.



SYMBOLS



Ideal for orthopaedic



SuperComfort sole widened in the forefoot, protection against tripping, slip resistance



Flexible foam insert



Washable



Washable at 30 degrees



Micro velour



Polyethylene velour



Cosyfit lining



Terry lining





In most cases, corns consist of a painful callus with central, deep-pointing (nail-shaped) spores that are caused by chronic pressure on the skin which is near the bone.



Pain in the forefoot can have many causes. The most common cause of such pain is inflammation, often because of incorrect footwear and/or over burdening. It can often occur due to foot deformities that result from accidents.



The various types of inflammation often involve joints, tendons, muscle strands or the periosteum. In the case of a plantar fasciitis, the connective tissue in the sole of the foot is affected.



Hammer toe consists of a toe deformity in which the toe joints contract when they are bent.



A callus is caused by pressure or friction. This causes a slight inflammation to the skin. To protect the underlying cell layers, the skin is locally stimulated so as to thicken the outer epidermis.



Diabetic foot syndrome, also known colloquially as "diabetic foot", is a syndrome which is associated with diabetes, and which occurs most frequently in patients with type 2 diabetes.



Arthritic foot is the term used to describe an inflammation which is caused by inflammation of the joints in the foot or the toes.



The term splayfoot refers to a divergence of the bones of the metatarsus.



Toe deformities are pathological changes in shape that are either congenital or acquired over the course of life. Increased mechanical pressure can lead to painful calluses and inflammation.



Hallux valgus is the medical term for an X-shaped bend to the big toe in the metatarsal joint. The condition almost always occurs together with splayfoot.



The multi-layer **shaft material** absorbs the moisture of the foot well and dries quickly after wearing, thereby ensuring an **"excellent foot temperature"**.



Particularly suitable for pressure sensitivity on the feet, especially for **diabetes** care and everyone who wants to support the healing processes on their feet.



Particularly suitable for rheumatic symptoms such as rheumatic foot changes, claw and hammer toes, hallux rigidus.



The **Softstep** sole concept, with its cylindrical cavities and neuropathy surface (toe area), combines safety and comfort to an unprecedented degree.



The **AirMesh** shaft material is particularly breathable and temperature-regulating due to its mesh structure and open-pore CoysFit foam lining. Also particularly suitable for allergy sufferers and diabetics.



The "washable insole" principle allows the sole to be changed at any time and washed at 30 degrees. This prevents unpleasant odours.



Natural new **sheep's wool** ensures comfortably warm feet and a wonderfully soft wear comfort throughout the shoe.



Upper material made from (perforated) **stretch** for especially good breathability. Adapts to almost any shape of foot.



Shoes are manufactured with strict quality control in the EU



This is a feature of the highest quality. The insoles are the substructure of a shoe. The insole creates a durable, dimensionally stable structure, also without an outer sole, which can therefore be provided with different characteristics.



The hard-wearing material which is visually reminiscent of suede ensures a healthy breathable temperature in the shoe. It is abrasion-resistant, tearresistant and easy care.

General information on the range of Promed shoes:











Machine wash at 30°C

Not suitable fo tumble dryer

Do not iron Do not dry-clean Do not use bleach

The shoes can be disinfected using any commercially available or common household disinfectant.



promed Overview of shoes and indications

Designation of shoe	Gentle Walk-Hi	Gentle Walk-Lo	München 2 LXL	München 3	Wallgau	Grainau	Flex 2
Product image							5
Art. no.	510341	510331	510230	521241 (b.) 521242 (s.)	520210	520220	520230
HiMi no. (Pair)	31.03.03.4058	31.03.03.4059	31.03.03.4059	31.03.03.4151	31.03.03.4152	31.03.03.4149	31.03.03.4150
Page in the 2023 Promed catalogue	63	63	64	64	60	60	59
Main areas of application							
For general problems with the toes and forefoot				✓	✓	✓	√ √
Ideal for diabetes care	√ √	√√		√ √	√√	√√	√√
Ideal for rheumatism sufferers	√ √	√√	√√	√√	√ √	√√	√√
Ideal for neuropathies	✓	✓	✓	✓	√	✓	✓
Ideal for wheelchair users	√ √	√√	✓	√ √	√ √	√√	
For almost any shape of foot e.g. hallux, hammer toes, arthritis, swollen feet			√ √		✓	✓	✓
For inflammations, swellings or bandaged feet			✓		✓	✓	√ √
For foot deformations			√√	√ √	√√	√√	√√
For use after surgery					✓		
For rheumatic feet	√√	√√		✓	✓	√	√
For heavily burdened feet (e.g. obesity)							
For sore feet e.g. traumatic injuries					✓	✓	√
For pressure sensitivity, inflammations, swellings and lymphatic feet	√ √	√ √			✓		✓
Sores in the forefoot area and on the sole of the foot caused by diabetes							
Sores in the forefoot area and on the sole of the foot caused by other indications such as traumatic injuries							
Sores in the rear-foot area and on the sole of the foot caused by diabetes							
Sores in the rear-foot area and on the sole of the foot caused by other indications such as traumatic injuries							



Post-op shoes



Theramed D1	Theramed D3	Pantomobil D	TheraLight 1	Sanicabrio DXL	Sanicabrio	Sanicabrio LXL	Sanisoft D	Sanisoft
510160	510180	510140	510311	510130	521120	510150	510170	521110
31.03.03.4042	31.03.03.4041	31.03.03.4043	31.03.03.4059	31.03.03.4045	31.03.03.4020	31.03.03.4046	31.03.03.4047	31.03.03.4022
65	65	66	66	61	62	61	62	63
√ √	√ √	√ √	√ √	√ √	✓	√	✓	✓
√ √	√ √	√ √	√ √	√ √	√ √	√ √	√ √	√ √
√	√	√	√	√	√ √	√	√	√ √
				✓	√ √	✓	√	√ √
✓	√√	✓	√	√√		√√		
√ √	√ √			√ √		√ √	√ √	
√ √	✓	✓		√ √		√ √	√ √	√
√	✓			✓		✓	√	
					√ √			√ √
✓			✓	✓		✓	√	
√	✓	✓		√ √	√	√ √	√	√ √
√√	√√	√ √		✓	✓	√√	√ √	✓
√ √	√√		✓	√√		√√	√√	
				√√	√ √	√ √	✓ ✓	√ √
	√ √	√ √		✓		√	✓	
		√ √		√√			✓	



PROMED SIZES TABLES

SHOE DIMENSIONS PROMED MASTERLINE

	Model			SaniCabrio DXL, LXL, SaniSoft D			Theramed D 1		Theramed D 3, Pantomobil D			München 2 LXL		
	Design		close	close toe / close heel			toe / clos	se heel	open t	oe / op	en heel	closed shoe		
English sizes *)	German / French sizes	Foot length in mm	Outer sole in mm	Insole in mm	Ball width in mm, oversize "J"	Outer sole in mm	Insole in mm	Ball width in mm, oversize "J"	Outer sole in mm	Insole in mm	Ball width in mm, oversize "J"	Outer sole in mm	Insole in mm	Ball width in mm, oversize "J"
31/2	36	229	253	238	232	249	239	232	243	239	232	243	234	232
41/2	37 1/3	237	256	242	237	253	243	237	249	244	237	253	238	237
5	38	241	264	249	240	260	250	240	253	248	240	256	242	240
6	39 1/3	250	273	258	245	264	255	245	260	257	245	264	249	245
61/2	40	254	277	261	247	269	259	247	264	262	24.7	273	258	247
71/2	41 1/3	262	285	268	252	277	268	252	273	271	252	277	261	252
8	42	267	295	276	255	285	275	255	280	278	255	285	268	255
9	43 1/3	275	298	280	260	295	283	260	285	281	260	295	276	260
9½	44	279	307	290	262	298	288	262	295	289	262	298	280	262
10½	45 1/3	288	312	294	267	307	296	267	298	295	267	307	290	267
11	46	292	315	300	270	312	301	270	307	303	270	312	294	270
12	47 1/3	301	324	311	275	318	310	275	312	307	275	315	300	275

SHOE DIMENSIONS PROMED MESHLINE

	Model Design		Gentlewalk Hi Sanicabrio Wallgau, Grainau close toe, close heel			Gentlewalk Lo Sanisoft München 3 close toe, close heel		TheraLight I			Flex 2			
English sizes *)	German / French sizes	Foot length in mm	Outer sole in mm	Insole in mm	Ball width in mm, comfort width "G"	Outer sole in mm	Insole in mm	Ball width in mm, comfort width "G"	Outer sole in mm	Insole in mm	Ball width in mm, comfort width "G"	Outer sole in mm	Insole in mm	Ball width in mm, oversize "J"
31/2	36	229	247	238	222	247	238	222	247	235	222	247	238	222
41/2	37 1/3	237	254	242	227	254	242	227	250	240	227	254	242	227
5	38	241	263	249	230	259	246	230	259	247	230	263	249	230
6	39 1/3	250	268	254	235	273	258	235	263	249	235	268	254	235
61/2	40	254	279	261	237	279	261	237	273	258	237	279	261	237
7½	41 1/3	262	284	268	242	284	268	242	281	270	242	284	268	242
8	42	267	293	276	245	291	275	245	291	278	245	293	276	245
9	43 1/3	275	299	280	250	299	280	250	291	278	250	299	280	250
91/2	44	279	306	290	252	306	290	252	291	278	252	306	290	252
10½	45 1/3	288	311	294	257	311	294	257	311	300	257	311	294	257
11	46	292	320	303	260	313	300	260	313	302	260	320	303	260
12	47 1/3	301	321	311	265	321	311	265	321	312	265	321	311	265

^{*) 1} English stitch = $\frac{1}{3}$ inch, i.e. 0.8466667 cm



Art. 540131 Pedibelle Anna The chic women's ankle boot





Especially for women with pressure-sensitive feet. Beneficial for joint and back pain.

- Ankle-high boot for indoors and outdoors
- Comfortable, cuddly soft, pleasant to wear
- 2 Velcro Easy Fit system for perfect foot adjustment
- Non-slip "Vita" outer sole with continuous cross-strap for safe walking and standing
- Perfect heel fit due to integrated heel cap

- Feminine heel to relieve the Achilles tendon
- Heel area bevelled by 20° for ideal heel-to-toe motion
- Sole with cylindrical cavities from toe to heel for optimum cushioning
- Sizes: 36 42, comfortable width G

















Especially for women with pressure-sensitive feet. Beneficial for joint and back pain.

- Comfortable loafer for indoors and outdoor use
- Comfortable, cuddly soft, pleasant to wear
- Wide-opening, quick-fit shoe with 1 Velcro Easy Fit system
- Non-slip "Vita" outer sole with continuous cross-strap for safe walking and standing
- Perfect heel fit due to integrated heel cap

- Feminine heel to relieve the Achilles tendon
- Heel area bevelled by 20° for ideal heel-to-toe motion
- Sole with cylindrical cavities from toe to heel for optimum cushioning
- Sizes: 36 42, comfortable width G



Art. 540142
Pedibelle Alexander
The ankle boot for men





For those looking for gentle support and yet great comfort for sensitive feet. Beneficial for stressed feet and pressure points.

- Ankle-high boot for indoors and outdoors
- Comfortable and pleasant to wear
- 2 Velcro Easy Fit system for perfect adaptation to almost any shape of foot
- Non-slip, wide "Vitus" outer sole with heel for a safe tread
- Good heel fit due to integrated heel cap

- Broadened forefoot for comfortable fit and secure footing
- Slightly elevated heel to relieve the Achilles tendon
- Heel area bevelled by 20° for ideal heel-to-toe motion
- Sole with cylindrical cavities in the heel for optimum cushioning
- Sizes: 40 46, comfortable width G












Art. 540122
Pedibelle Jonas
The comfortable men's loafer





- Men's loafer for indoors and outdoors
- Comfortable and pleasant to wear
- Wide-opening, quick-fit shoe with 1 Velcro Easy Fit system
- Non-slip, wide "Vitus" outer sole with heel for a safe tread
- Good heel fit due to integrated heel cap



- Broadened forefoot for comfortable fit and secure footing
- Slightly elevated heel to relieve the Achilles tendon
- Heel area bevelled by 20° for ideal heel-to-toe motion
- Sole with cylindrical cavities in the heel for optimum cushioning
- Sizes: 40 46, comfortable width G



browed



Art. 520230 (in pairs) | HiMi no.: 31.03.03.4145

Flex 2 Unique post-op shoe shaped as slip-on shoe





- Comfortable slip-on shoe for indoor and outdoor use
- Variable heel strap for 3 possibilities to wear
- Improvable fit due to variable heel and instep strap
- Functioning of the heel strap: turning or removable with two press studs, heel width adjustable with Velcro fastener
- Broadened forefoot for comfortable fit and secure footing
- Instep strap with Velcro fastener for perfect and stepless adjustment of the instep height
- Ergonomically shaped, orthopaedically adjustable outer sole with neuropathic zone in the forefoot
- Washable at 30°
- Sizes: 36 47, comfortable width J
- Colour: black



Comfortable low level post-op shoe,







Instep Velcro fastener for extra convenience when putting the

promed



- Toe box made of comfortable stretch material
- Particularly suitable for pressure-sensitive feet
- Visually attractive upper material made of elastane (stretch) in the forefoot for particularly good breathability; leather look at rear
- Ergonomically shaped, orthopaedically adjustable outer sole with neuropathy zone in forefoot
- Stretch material in the forefoot area allows for a soft and flexible adjustment with almost any shape of foot (hallux, hammer toes, arthritis, swollen feet, etc.)
- Ideal for rheumatic feet and for diabetes care
- Washable at 30°C
- Sizes: 36 47, comfortable width G, colour: black



















Art. 520220 (in pairs) | HiMi no.: 31.03.03.4149

Grainau

Therapeutic comfort shoe



Instep Velcro fastener for extra convenience when putting the

promed





- Toe box made of comfortable stretch material
- Particularly suitable for pressure-sensitive feet
- Visually attractive upper material made of elastane (stretch) in the forefoot for particularly good breathability; leather look at rear
- Ergonomically shaped, orthopaedically adjustable outer sole with neuropathy zone in forefoot
- Stretch material in the forefoot area allows for a soft and flexible adjustment with almost any shape of foot (hallux, hammer toes, arthritis, swollen feet, etc.)
- Ideal for rheumatic feet and for diabetes care
- Washable at 30°C
- Sizes: 36 47, comfortable width G, colour: black





Sanicabrio DXL Over-ankle, extra wide special shoe



- With wide-opening "Cabrio" fastening system at the forefoot and with Velcro fastener at the heel for putting the shoe on extremely easily.
- Soft and flexible adjustment
- Ideal for swollen feet, hammer toes, for use after operations and with plaster casts and bandaged feet
- Sizes: 36 47, extended width J




























Sanicabrio LXL Low extra wide special shoe



- With wide-opening "Cabrio" fastening system at the forefoot.
- Easy to put on due to heel Velcro
- Low shaft at the ankle
- Ideal for solving foot problems such as bandaged feet, heavily stressed, pressure-sensitive feet, hallux and hammer toes
- Sizes: 36 47, extended width J
- Colour: navy blue















- Also suitable as a first aid shoe
- Ideal for extreme pressure sensitivity and severe swelling
- Dipped edge in the sole, e.g. for stable hold of soft foam insoles
- Terry lining
- Sizes: 36 47, comfortable width G,
- Colour: navy blue

















Sanisoft D Low level special shoe




- With large volume and various individual adjustment options in the forefoot and instep area
- A temperature-regulating shoe for diabetics and other
- Easy to put on and take off and optimum width adjustment
- Especially suitable for wheelchair users
- Sizes: 36 47, extended width J
- Colour: navy blue





Terry lining











Sanisoft

Therapy and rehabilitation shoe in loafer design







- Low shaft cut-out under the ankle
- Dipped edge in the sole, e.g. for stable hold of soft foam insoles
- Terry lining
- Sizes: 36 47, comfortable width G
- Colour: navy blue









Velcro fastener





Terry lining

promed



GentleWalk-Hi / GentleWalk-Lo

Fur boots with Airmesh shaft material and new wool lining



- Breathable "AirMesh" upper material with Larina wool lining for a great foot temperature
- 2 wide-opening Velcro fasteners in the forefoot for easy slip-on and a firm hold
- Pressure-free, ideal fit
- Shock-absorbing "SoftStep" outer sole, suitable for asphalt
- Suitable for diabetics and allergy sufferers



Machine washable at 30°

Sizes: 36 - 47, comfortable width G

Colour: black





Stretch micro velour loafer for therapy and rehab








Increased forefoot volume

- 4-fold stretch material at the forefoot allows for soft and flexible adjustment with almost any shape of foot (hallux, hammer toes, arthritis, swollen feet, etc.)
- The stretch material follows your every move
- No painful areas of pressure or friction
- Foot temperature friendly model
- Sizes: 36 47, extended width J

Colour: black



Increased forefoot volume and 4-way stretch material in the forefoot area enable a soft and flexible fit for almost any shape of foot

























promed

Brown - Art. 521241 (in pairs) | HiMi no.: 31.03.03.4151 **Black - art. 521242 (in pairs)** | HiMi no.: 31.03.03.4151

München 3

Low comfort post-op shoe in a stretch-micro velour combination





Centre and heel part made of micro velour for

perfect fit

Instep Velcro fastener for extra convenience when putting the shoe on or taking it off

Slightly damping anti-slip sole

- Instep Velcro fastener for extra convenience when putting the shoe on or taking it off
- Visually attractive upper material made of perforated stretch Dacron for particularly good breathability
- Ergonomically shaped orthopaedically adjustable outer sole with neuropathy zone in the forefoot
- Particularly suitable for pressure-sensitive feet
- Stretch material in the forefoot area allows for a soft and flexible adjustment with almost any shape of foot (hallux, hammer toes, arthritis, swollen feet, etc.)
- Ideal for rheumatic feet and for diabetes care
- Washable at 30°C
- Sizes: 36 47, comfortable width G
- Colour: brown, black







Breathable and easy-care upper material

promed

- With two Velcro fasteners on the forefoot and instep
- Open toe area, instep strap and closed heel area
- Especially recommended for problems in the toe and forefoot area, inflammation, swelling and hallux
- Comfortable in the warmer time of year due to breathable and easy-care upper material
- Sizes: 36 47, extended width J
- Colour: navy blue























Art. 510180 (in pairs) | HiMi no.: 31.03.03.4041

Theramed D3

Multifunctional 2-Velcro sandal with open heel



- With three Velcro fasteners for customised adjustment in the forefoot, instep and heel area. Open heel window
- Recommended for pressure sensitivity in the heel area as well as for inflammation and swelling in the heel and
- Temperature-friendly model
- Comfortable in the warmer time of year due to breathable upper material
- Sizes: 36 47, extended width J
- Colour: navy blue













Lightweight, multifunctional, wide-opening







- Recommended for pressure sensitivity, swelling or inflammation in the forefoot and/or heel areas
- Foot temperature-friendly model, particularly pleasant in the warmer time of year due to breathable cosy-fit upper material (three layers)
- Heel strap included
- Sizes: 36 47, extended width J
- Colour: navy blue

























TheraLight 1

Rehabilitation and comfort shoe with open toe area and closed heel cap



- Breathable "Air/Mesh" upper material with EasyDry lining for a great foot temperature
- wide-opening Velcro fastener so easy to put on
- Pressure-free, ideal fit
- Shock-absorbing "SoftStep" outer sole, suitable for asphalt
- Suitable for diabetics and allergy sufferers
- Machine washable at 30°
- Sizes: 36 47, comfortable width G
- Colour: black



including removable heel strap

promed

Breathable Cosy-Fit upper material (three layers)





Breathable AirMesh upper material with EasyDry lining







Art. see below (in pairs)
Replacement soft
foam insole (double insole)

promed

Art. see below (in pairs)
Replacement
soft foam insole





Replacement insole (double insole) for the Wallgau and Grainau models

Sizes: 36 - 47, width J Art. 550236

Soft foam insole 1: Cotton EVA (3.6 mm), black

• Soft foam insole 2: Polyester EVA (4 mm), black



Sizes: 36 - 47, width J (in pairs)

Colour: Black

Art. 550230 (model: Sanicabrio/DXL/LXL/DS, Sanisoft/D)

Art. 550231 (model: Theramed D1, Theralight 1)

Art. 550232 (model: Theramed D3, Pantamobil D, TheraLight 2-S)

- High-quality insole with soft step comfort
- Terry-cloth cover
- 4 mm EVA sole





soft

Art. 550240 (in pairs)
Replacement fur insole



suitable for hand washing

promed



- Terry-cloth cover
- 4 mm EVA sole
- Suitable for every model in the Promed range
- Sizes: 36 47, comfortable width G
- Colour: white



- High-quality EVA insole with 100% sheep's wool covering, 4 mm thick with soft tread comfort
- Suitable for the models: Gentlewalk-Hi, Gentlewalk-Lo
- Sizes: 36 47, comfortable width G
- Colour: white





Art. 552055

Hallux Valgus
To prevent any further divergence of the big toe



Excellent for the following symptoms:

- Prevention of hallux valgus
- Sharp pain in the heel-to-toe phase of the foot
- Dull pain without stress
- Local pressure sensitivity

Particularly suitable for:

- Sufferers of splayfoot and/or a big toe deformity
- Sufferers of hallux valgus



Characteristics:

- Moisture-absorbing, quick-drying, skin-friendly
- Toxin-free soft microfibre material with pleasant wearing comfort

Sizes (1 pair): 35 - 49




Heel spur

Heel edging with U-shaped padded structure







Excellent for the following symptoms:

- Sharp pain when treading
- Dull pain without stress
- Local pressure sensitivity

Particularly suitable for:

- Heel spur, heel spur stress
- Persons with walking and standing occupations
- Allergy sufferers and diabetics

Characteristics:

- Moisture-absorbing, quick-drying, skin-friendly
- Toxin-free soft microfibre material with pleasant wearing comfort

Sizes (1 pair): **XS**/35-37, **S**/38-40, **M**/41-43, **L**/44-46, **XL**/47-49

Art. 552040 Joint relief sole 1 (up to 80 kg) Art. 552045 Joint relief sole 2 (from 80 kg)

Joint relief (</> 80 kg)
For targeted, weight-specific pressure relief




Excellent for the following symptoms:

- To relieve the spine and joints
- Discomfort with the metatarsals (metatarsalgia)
- Burning sole/heel pain, joint problems (ankles, knees, hips)

Particularly suitable for:

- Persons with walking and standing occupations
- Painful, burning, overloaded, tired, pressure-sensitive feet



Characteristics:

- Moisture-absorbing, quick-drying, skin-friendly
- Toxin-free soft microfibre material with pleasant wearing comfort

Sizes (1 pair):

XS/35-37, **S**/38-40, **M**/41-43, **L**/44-46, **XL**/47-49











Art. 198001

Ceramic sculpting set

Professional ceramic sculpting set for removing, reworking, sculpting of UV gel and acrylic, embellishing, polishing. Fast and effective working. Durable material, low heat development

Contents	Art. 198604	Ceramic milling tool, cylinder, rough, green
	Art. 198603	Ceramic milling tool, large cone, fine, red
	Art. 198606	Ceramic milling tool, long cone, medium, blue
	Art. 198607	Ceramic milling tool, pointed, fine, red
	Art. 198133	Silicone polisher, pointed, fine
		Including rectangular bit box

Art. 198002

Blue Mix sculpting set

Professional combination set consisting of ceramic and Blue Mix drill bits. For matting, shortening, removing, reworking and polishing of gel and acrylic. Durable material, low heat development

Contents	Art. 198480	Carbide bit, Cylinder, Blue Mix series
	Art. 198481	Carbide bit, large cone, Blue Mix series
	Art. 198606	Ceramic milling tool, long cone, medium, blue
	Art. 198607	Ceramic milling tool, pointed, fine, red
	Art. 198133	Silicone polisher, pointed, fine
		Including rectangular bit box

Art. 198003

Rainbow sculpting set

Professional carbide bit set with tungsten nitride coating. For removing, modelling, filing, finishing work on the artificial nail, polishing; prevents the development of heat.

Contents	Art. 198491 Art. 198490	Carbide bit, large round cone, Rainbow series Carbide bit, cylinder, Rainbow series
	Art. 198492	Carbide bit, narrow cone, Rainbow series
	Art. 198493	Carbide bit, narrow round cone, medium, Rainbow series
	Art. 198133	Silicone polisher, pointed, fine
		Including rectangular bit box





Carbide bit set Pro sculpting set

Professional high-quality nail sculpting set – the "must-have" for every nail designer. Removing, sculpting, embellishing and working quickly - all no longer any problem.

Contents	Art. 198425 Art. 198442 Art. 198557	Carbide bit, cylinder, combination dovetailing (fine/rough) Carbide bit, narrow cone, purple series Carbide bit, large pointed cone, red series Carbide bit, cylinder, cross-dovetailing
	Art. 198556	Titanium bit, cylinder, rounded (gold head)

Art. 198006

Master sculpting set

The complete and professional kit for all types of artificial nail modelling.

Art. 1 Art. 1 Art. 1 Art. 1 Art. 1 Art. 1	98421 98450 98540 98031	Carbide milling tool, blue series Carbide milling tool, yellow Carbide milling tool, blue series Diamond milling tool Sapphire bit, round Carbide titanium milling tool, (gold head) long Sapphire milling tool, pointed, Design hard box, transparent
--	----------------------------------	--

Art. 198005

Basic sculpting set

The perfect basic equipment for complete artificial nail sculpting.

Contents	Art. 198421	Carbide milling tool, yellow
	Art. 198450	Carbide milling tool, blue series
	Art. 198540	Diamond milling tool
	Art. 198551	Carbide titanium milling tool, (gold head), short
	Art. 961910	Design hard box, transparent

Art. 198014

Personal care set

For a complete natural nail manicure: Shortening of nails, cuticle removal, thinning of exceptionally thick nails, elimination of unevenness on the nail plate.

Contents	Art. 190011	Sanding disc, sapphire
	Art. 190067	Callus sander, sapphire
	Art. 198540	Diamond cone, small
	Art. 198535	Stone sander, standard
	Art. 198541	Diamond bit, cylinder
	Art. 198031	Sapphire bit, round
	Art. 198030	Sapphire bit, pointed
	Art. 190041	Polishing cone, felt









Art. 198016

Comfort Set

For all problem zones with the skin, calluses and nails. Removal of calluses, hardened skin, excess cuticle, nail trimming, matting, smoothing, cleaning and polishing.

ontents	Art. 198535	Stone sander, standard
	Art. 198530	Stone sander, cylinder
	Art. 198564	Sanding mandrel, plastic
	Art. 198031	Sapphire bit, round
	Art. 198543	Diamond milling tool, small pointed
	Art. 198034	Sapphire bit, long
	Art. 198540	Diamond milling tool
	Art. 198541	Diamond bit, cylinder
	Art. 190086	Goat hair brush
	Art. 190041	Polishing cone, felt
	Art. 190021	Sanding cone, sapphire
	Art. 190011	Sanding disc, sapphire
	Art. 198562	Sanding band, medium (4 pcs.)
	Art. 961910	Design hard box, transparent



Art. 198009

Natural set

For a complete natural nail manicure: Shortening of nails, cuticle removal, thinning of exceptionally thick nails, elimination of unevenness on the nail plate, through to the perfect finish with shiny polishing.

Contents	Art. 190011	Sanding disc, sapphire
	Art. 198020	Diamond bit, cone
	Art. 198540	Diamond cone, small
	Art. 198535	Stone sander, standard
	Art. 198130	Silicone polisher, fine, yellow
	Art. 198131	Silicone polisher, medium, black
	Art. 198132	Silicone polisher, rough, green
	Art. 190041	Polishing cone, felt
	Art. 198571	Soft polisher, textile




Art. 198010

Callus set

For the removal of very hard calluses and hardened skin from the hands and feet and other parts of the body such as the elbows; also for cuticle removal.

Contents	Art. 190021	Sanding cone, sapphire
	Art. 190067	Callus sander, sapphire
	Art. 198540	Diamond cone, small









Note: All Promed drill bits have a shaft diameter of a standard dental diameter of 2.332 to 2.350 mm.



Ceramic bits

More lightweight than carbide bits, durable, efficient

Suitable for removing gel and acrylic, filing, engraving, smoothing, polishing and reshaping as well as removing dead skin. Extremely good treatment of nails possible, smooth surfaces, pleasant feel on the nail, fast, easy handling, good running properties due to reduced vibration, very corrosion-resistant, low heat development.

Art. 198600 Ceramic milling tool, large cone, fine, red *

Suitable for reworking very thickened nails and calluses as well as artificial nails, smooth running properties, extremely hard, durable, sharp.

Speed range: up to 30,000 rpm

Art. 198601 Ceramic milling tool, large cone, medium, blue *

Suitable for treating very hard, thickened nails and calluses as well as artificial nails. Ideal for removing UV gel and acrylic effectively. Also suitable for reworking. Lower weight compared with carbide bits, smooth running properties, extremely hard, durable, sharp Speed range: up to 30,000 rpm

Art. 198602

Ceramic milling tool, large cone, rough, green *

Suitable for treating very hard, thickened nails and calluses as well as artificial nails. Ideal for removing UV gel and acrylic effectively. Lower weight compared with carbide bits, smooth running properties, extremely hard, durable, sharp.

Speed range: up to 30,000 rpm

Art. 198604

Ceramic milling tool, cylinder, rough, green *

Matting of the tips, shortening of artificial nails, removal of gel and acrylic. Very good cutting performance, pleasant feel on the nail. Speed range: up to 20,000 rpm

Art. 198603

Ceramic milling tool, large cone, fine, red*

An absolute "all-rounder" in its field. The unique cone shape allows you to remove gel and acrylic (also 3-phase gels) with little risk. It also provides an optimum basis for the completion of additional work on the nail sculpting. Very good cutting ability

Speed range: up to 25,000 rpm

Art. 198605

Ceramic milling tool, long cone, fine, red *

For the finishing, gentle polishing and reshaping of your nails. Speed range: up to 20,000 rpm

Art. 198606

Ceramic milling tool, long cone, medium, blue *

For removing, for straightforward surface treatment, possibly also for shortening irregular nails. Speed range: up to 20,000 rpm

Art. 198607

Ceramic milling tool, pointed, medium, red *

Narrow bit for work at the nail fold/edge, easy trimming or work below the nails. Speed range: up to 35,000 rpm

Art. 198608

Ceramic milling tool, pointed, medium, blue *

Narrow bit for work at small and narrow spots, within easy reach without scratching the nails. For reworking the sculpting, for removing residues below the nails Speed range: up to 35,000 rpm



Blue mix bits

Very durable material, prevents the development of heat

Blue mix series: Carbide bits with aluminium nitride coating Particularly rapid and speedy treatment of artificial nails.



Art. 198480

Carbide bit (with aluminium nitride coating), cylinder, Blue Mix series *

Matting of the tips, shortening of artificial nails, removal of gel and acrylic. Coating prevents the development of heat, very durable material. Speed range: up to 25,000 rpm



Art. 198481

Carbide bit (with aluminium nitride coating), large cone, Blue Mix series *

An absolute "all-rounder" in its field. The unique cone shape allows you to remove gel and acrylic (also 3-phase gels) free of risk. It also provides an optimum basis for the completion of additional work on the nail sculpting. Coating prevents the development of heat, very durable material. Speed range: up to $25,000~\mathrm{rpm}$

Rainbow bits

Very durable material, prevents the development of heat

Rainbow series: Carbide bits with tungsten nitride coating Particularly rapid and speedy treatment of artificial nails.



Art. 198491



Carbide bit (with tungsten nitride coating), large round cone *

An absolute "all-rounder" in its field. The unique cone shape allows you to remove gel and acrylic (also 3-phase gels) free of risk. It also provides an optimum basis for the completion of additional work on the nail sculpting. Tungsten nitride coating prevents the development of heat, very durable material. Speed range: up to 25,000 rpm



Art. 198490



Carbide bit (with tungsten nitride coating), cylinder *

Matting of the tips, shortening of artificial nails, removal of gel and acrylic. Tungsten nitride coating prevents the development of heat, very durable material. Speed range: up to 25,000 rpm



Art. 198492



Carbide bit (with tungsten nitride coating), narrow cone, fine *

Gets acrylic and (building) gel into shape. Due to its size, it is especially suitable for finishing work. Tungsten nitride coating prevents the development of heat, very durable material. Speed range: up to 30,000 rpm



Art. 198493



Carbide bit (with tungsten nitride coating), narrow small round cone, fine *

Shapes acrylic and (build-up) gel and files these down very well. Its shape matches the shape of the nail perfectly and allows for a higher work rate. Tungsten nitride coating prevents the development of heat, very durable material. Speed range: up to 30,000 rpm

^{*}Autoclavable (sterilisation of bits at a temperature of between 121 - 134°C at a pressure of approx. 2 bar)







Note: All Promed drill bits have a shaft diameter of a standard dental diameter of 2.332 to 2.350 mm.



Titanium bits / carbide bits

for extreme loads, long service life

These high-quality bits made of a titanium-carbide alloy heat up less quickly, which means they are more pleasant for your customers during use.



Art. 198551

2

Titanium bit, cylinder, short (gold head) *

Matting of tips, shortening of artificial nails, removal of gel and acrylic material, very durable. Speed range: up to 25,000 rpm



Art. 198551/L



Titanium bit, cylinder, long (gold head) *

Matting of tips, shortening of artificial nails, removal of gel and acrylic material, very durable. Speed range: up to 25,000 rpm



Art. 198556



Titanium bit, cylinder, rounded (gold head) *

Filing of the tip transition to the natural nail, blending of the tips, shortening of artificial nails, thin filing of the nails at the nail edge; material removal of gel and acrylic, speed range: up to 25,000 rpm



Art. 198557



Carbide bit, cylinder, cross-dovetailing *

Special bit for both running directions; rapid removal of sculpting products (gel and acrylic), special coating prevents heat build-up; very fine polish on the nail, very durable, speed range: up to 25,000 rpm

Carbide bits (HM bits)

very durable material

Carbide bits allow particularly fast and effective work on the artificial nail. These must not be used on natural nails. Typical areas of use: Filing of the tip transition, thinner filing of the surface, filing of the underside of the nail, shortening, countersinking of rhinestones.

Carbide bits, purple series, spiral dovetailing - fine



Art. 198455



Carbide bit, drop *

Nail and skin smoothing as well as nail art work Speed range: optimum at 12,000 rpm, max. up to 20,000 rpm



Art. 198435



Carbide bit, long cone *

Carbide bit enables a varied range of applications: Cleaning of the underside of the nail at the nail edge. Removal of gel or acrylic residues and completion of finishing work.

Speed range: up to 40,000 rpm



Art. 198425



Carbide bit, narrow cone *

Particularly effective with "lifting". Finishing work and quick removal of gel or acrylic possible, also near the nail fold. Speed range: up to 30,000 rpm



Art. 198445



Carbide bit, large cone *

An absolute "all-rounder" in its field. The unique cone shape allows for the risk-free removal of gel and acrylic (including 3-phase gels) without generating heat.

It also provides an optimum basis for the completion of additional work on the nail sculpting. Extremely durable material. Speed range: up to 20,000 rpm





Carbide bits, blue series, cross-dovetailing - rough

Art. 198410

Carbide bit, round *

Particularly suitable for countersinking stones in artificial nails. Speed range: up to 40,000 rpm



Art. 198420

Carbide bit, cone *

Shapes acrylic and (build-up) gel and files these down very well. Its shape matches the shape of the nail perfectly and allows for a higher work rate. No heat build-up.

Speed range: up to 20,000 rpm



Art. 198430

Carbide bit, narrow cone *

Gets acrylic and (building) gel into shape. Its size is particularly suitable for finishing work. Speed range: up to 30,000 rpm



Art. 198450

Carbide bit, rounded cylinder *

Very quick and rough removal of the sculpting (acrylic and gel). Very low heat generation. Speed range: up to 20,000 rpm



Carbide bits, red series, cross-dovetailing - medium

Art. no. 198422

Carbide bit, cone *

Optimum removal of all types of gels - particularly suitable for refilling. The cone shape is particularly suitable for finishing the sculpting, such as the shaping work. Speed range: up to 30,000 rpm



Art. 198442

Carbide bit, large pointed cone *

Due to its shape, the small pointed cone is ideal for the precise removal of gel and acrylic, also in difficult areas just before the nail fold. Speed range: up to 25,000 rpm



Art. 198443

Carbide bit, small cone *

Due to its shape, the small pointed cone is ideal for the precise removal of gel and acrylic, also in difficult areas just before the nail fold. Speed range: up to 30,000 rpm



Art. 198452

Carbide bit, rounded cylinder *

The rounded cylinder shape offers the safe and even removal of gel and acrylic over the whole nail plate without generating heat. Speed range: up to 20,000 rpm



Carbide bits, yellow series, cross-dovetailing - extra fine



Art. 198434

Carbide bit, long *

Carbide bit. Its fine surface structure (cross-dovetailing) cleans the underside of the nails perfectly. Removal of acrylic or gel residues, finishing work.

Speed range: up to 40,000 rpm



Art. 198421

Carbide bit, cone *

Carbide bit. For reworking the sculpting and the removal of residues.

For the perfect cleaning of the underside of the nail. Speed range: up to 30,000 rpm



Art. 198461

Carbide bit, Flame *

Due to its shape, the Flame carbide bit accesses any place, however difficult. For removing adhesive or material underneath acrylic and gel nails. Can also be used to clean the natural nail after regrowth. Speed range: up to 40,000 rpm





Carbide bits, specials



Carbide bit, cylinder, combination dovetailing (fine/rough) *

Combination dovetailing (fine + rough elements), very durable material, rapid removal without heat development; very smooth surface structure on the nail.

Speed range: up to 20,000 rpm



Art. 198453

Carbide bits, narrow cone, combination dovetailing (fine/rough), orange series

for finishing the sculpting and removing residue, finishing work and quick removal without heating the gel or acrylic, a very smooth surface structure on the nail, very durable material, can also be used in foot care for the removal of calluses. Speed range: up to 20,000 rpm



Art. 198423

Carbide bit, left-handers, cone, cross-dovetailing, medium *

Especially suitable for left-handed operation; quick removal of sculpting (gel and acrylic) fine surface structure on the nail; very durable material.

Speed range: up to 20,000 rpm



Art. 198470

Special milling tool, simple dovetailing with cross-cut, green series, rough

For the treatment of heavily thickened, grypotic nails and calluses. Speed range: optimum at 12,000 rpm, max. up to 20,000 rpm



Art. 198471

Special milling tool with cross-cut, orange series, fine

Removal of hardened skin and thick calluses as well as nail art work. With external cooling channels, for cool working in the dry and wet technique.

Speed range: optimum at 10,000 rpm, max. up to 15,000 rpm





Art. 197005

Rose drill with cross-cut (2.3 mm), medium dovetailing *

For milling corns and hardened areas of skin. Easy-cut dovetailing with cross-cut.

Speed range: optimum at 15,000 rpm, max. up to 30,000 rpm



Art. 197015

Fissure milling tool (1.2 mm), medium dovetailing *

For work on the nail fold. With cross-dovetailing.

Speed range: optimum at $15,000 \; \text{rpm}$, max. up to $50,000 \; \text{rpm}$



Art. 197021

Hollow milling tool (Trepan, 2.3 mm) *

For the milling of calluses and hardened skin. Cutting edge with dovetailing.

Speed range: optimum at 4,000 rpm, max. up to 6,000 rpm



Art. 197025

Rotary tissue punch, ground (2.7 mm) *
For the gentle removal of deeper corns / calluses With sharpened cutting edge.

Speed range: optimum at 4,000 rpm, max. up to 6,000 rpm



Art. 197030

Nail cleaner, short *

For the gentle removal of excess cuticle and nail fold deposits.

Hexagonal working part without sharp cutting edges.

Speed range: optimum at 5,000 rpm, max. up to 30,000 rpm



Art. 197031

Nail cleaner, long *
For the gentle removal of excess cuticle and nail fold deposits.

Hexagonal working part without sharp cutting edges.

Speed range: optimum at 5,000 rpm, max. up to 30,000 rpm



Diamond bits

Fine diamond particles on the drill bit allow for hygienic and quick skin and nail treatment. Long durability with continuous use. Smoothing, cleaning, removal of adhesive residue, also in the nail fold. Safe working in difficult areas.

Nail shortener (only top is diamond-coated) *

Ideal for shortening nails. Adjacent skin is not milled. Safety bevel on the front edge. Speed range: optimum at 15,000 rpm, max. up to 20,000 rpm



Art. 198502

Art. 198505

Callus sander, cone (very rough) * Removal of hardened skin and thick calluses. With external cooling channels, for cool working in the dry and wet technique.

Speed range: optimum at 10,000 rpm, max. up to 15,000 rpm



Art. 198501



Callus sander, conical (very rough) *

Removal of hardened skin and thick calluses.

With external cooling channels, for cool working in the dry and wet technique.

Speed range: optimum at 10,000 rpm, max. up to 15,000 rpm



Art. 198585



Diamond bit, round cylinder, large, rough, callus sander (especially for wet technique)

For professional foot care. No heat build-up. For treating uneven skin and calluses. Suitable for use on dry or damp skin. Speed range: up to 20,000 rpm



Art. 198586



Diamond bit, round cylinder, small, rough, callus sander (especially for wet technique)

For professional foot care. No heat build-up. For treating very thick calluses.

Suitable for use on both dry and damp skin.

Speed range: up to 20,000 rpm

Diamond bit, cone *



Art. 198020



For the sanding of uneven, grooved nail surfaces. Speed range: up to 20,000 rpm



Art. 198540



Diamond bit, small cone *

For cuticle removal, the matting of transitions and the natural nail, the treatment of difficult edges. Speed range: up to 20,000 rpm



Art. 198541







For thinning thickened nails and treating hard corn edges. Speed range: up to 20,000 rpm



Art. 198542



Diamond bit, rounded pointed cone *



For the sanding of fungal nails; traces of nail fungus can be easily removed this way. For cuticle removal. Speed range: up to 20,000 rpm



Art. 198543



Diamond bit, small pointed cone *

For the sanding of fungal nails; traces of nail fungus can be easily removed this way. For cuticle removal. Speed range: up to 20,000 rpm



Diamond bits with cooling channels and carbon shaft

Diamond bits with a high diamond particle density and an integrated cooling channel enable an exceptional removal performance. The cooling channel reduces the heat generation and ensures longer operating times through the continuous removal of the unwanted material at the same time. Suitable for dry and wet technique.

Diamond bit with cooling channels, pointed, small

With cooling channels, ideal for finishing and smoothing of calluses and nails in sensitive areas.



Art. 198545

Art. 198544



Diamond bit with cooling channels, round



With cooling channels, ideal for the gentle finishing and smoothing of hardened



Art. 198546



Diamond bit with cooling channels, thin, rounded



With cooling channels, ideal for smoothing and finishing calluses and nails. Allows for work at lower temperatures.



Art. 198547



Diamond bit with cooling channels, conical, thick

With cooling channels, for precise thinning and finishing of hardened skin and nails. Allows for work at lower temperatures.

Sapphire bits

Sapphire is "softer" than diamond and ideal for the care and treatment of natural nails, nail thickening and calluses or other foot and nail problems.



Art. 198030



Sapphire bit, pointed

For treating difficult corners and folds, careful cuticle removal.





Art. 198031

Sapphire bit, round



For the cleaning of the nail fold and the removal of calluses. For the sanding of ingrown nails. Speed range: up to $25,000\ \text{rpm}$



Art. 198034



Sapphire bit, long

For treating the underside of the nail, e.g. removing dirt or traces of nail fungus. Speed range: up to 25,000 rpm



Art. 190011



Sanding disc, sapphire

For shortening and shaping fingernails and toenails. Speed range: up to 10,000 rpm




Art. 190027 fine

Art. 190031 rough

Art. 190029 medium

Sanding cone, sapphire, small *

For removing hardened skin or calluses on the sole of the foot. Can also be used to remove corns. Speed range: up to 20,000 rpm









Note: All Promed drill bits have a shaft diameter of a standard dental diameter of 2.332 to 2.350 mm.



Sapphire bits

Sapphire is "softer" than diamond and ideal for the care and treatment of natural nails, nail thickening and calluses or other foot and nail problems.



Art. 190026 Medium



Art. 190021 rough (not autoclavable)

Sanding cone, sapphire *

For the sanding of hardened skin, calluses and very woody nails.

Speed range: up to 20,000 rpm



Art. 190064 medium

Art. 190063 rough

Art. 190067 rough (not autoclavable)

Callus drainage sander, sapphire *

Particularly suitable for removing large and thick calluses such as on the heel or ball of the foot.

Speed range: up to 20,000 rpm



Stone bits

The stone drill bits are especially suitable for thinning out thicker nails.



Art. 198530

Stone sander, cylinder

For smoothing unsightly nail plates, for thickened, woody nails.

Speed range: up to 12,000 rpm



Art. 198535

Stone sander, standard

For smoothing and matting the nail plate. To prepare for the fitting of artificial nails.

Speed range: up to 12,000 rpm



For the attachment of sanding bands for sculpting work and callus removal.

Easy replacement of the sanding caps due to the spring action of the cap holder. The new mandrel version effectively compensates for the tolerances of different sanding caps.



Art. 198583

Sanding mandrel, metal

Suitable for attaching sanding belts for work on the sculpting of artificial fingernails.

Speed range: up to 25,000 rpm



Art. 198564

Sanding mandrel, plastic *

Suitable for attaching sanding belts for work on the sculpting of artificial fingernails.

Speed range: up to 25,000 rpm



Art. 198565/L

Sanding mandrel, plastic, long shaft

(for 4030/S/SX/SX2, 4040, 5030S, 5040-SX, 5040-SX2) *

Suitable for attaching sanding belts for work on the sculpting of artificial fingernails.

Speed range: up to 25,000 rpm



Sandpaper bits

Sanding sleeves are available in various granulations The sleeves are pulled over a mandrel, thereby turning the trusty hand file into a neat, round tool.



Art. 198561 fine



Sanding band, fine, 100 pcs.





Art. 198,562 medium

Sanding band, medium, 100 pcs.

Particularly suitable for removing gel.



Art. 198563 rough

Sanding band, rough, 100 pcs.

Suitable for removing acrylic materials.



Art. 198590 fine





With "anti-dust" coating. Suitable for sanding the surface of the nail and for finely detailed work.



Art. 198591 medium

ZEBRA sanding band, medium, 100 pcs.

With "anti-dust" coating. Particularly suitable for removing gel.



Art. 198592 rough

ZEBRA sanding band, rough, 100 pcs.

2

With "anti-dust" coating. Suitable for removing acrylic materials.



Art. 198580

Sanding mandrel, rubber (13 mm for sandpaper cap)

3

Sanding mandrel to fit sandpaper caps for the treatment of calluses.

Speed range: up to 15,000 rpm



Art. 198588

Sandpaper cap (13 mm), medium, 100 pcs.



Professional sandpaper cap for foot care. For the removal of strong and thick calluses and hardened skin on the ball and heel of the foot.



Art. 198581

Sanding mandrel, rubber (10 mm for sandpaper cap)

3

Sanding mandrel to fit sandpaper caps for the treatment of calluses.

Speed range: up to 15,000 rpm



Art. 198587

Sandpaper cap (10 mm), medium, 100 pcs.

3


Professional sandpaper cap for foot care. For the removal of strong and thick calluses and hardened skin on the ball and heel of the foot.





Polishing bits

Polishing, shine removal, shine creation, matting, smoothing unevenness on the natural nail and much more. The various polishing bits, from the silicone polisher to the felt bit through to the textile soft polisher, offer a wide range of applications in nail care



Art. 198130

Art. 198131

Art. 198131

Art. 198131

Silicone polisher, fine, yellow
For polishing, shining and matting.

Art. 198131
Silicone polisher, medium, black
For polishing, shining and matting.

Art. 198132
Silicone polisher, rough, green
For polishing, shining and matting. Removal
of minor uneven areas on natural nails. Buffer replacement!


Note:

Three different granulations for the fine polishing of natural and artificial nails. Speed range: up to 8,000 rpm

(Warning: At over 8,000 rpm, the nails discolour with the colour of the silicone polisher)







Art. 198572

Soft polisher, textile, including polish



Textile including polish creates a uniquely shiny finish on natural nails, as the polishing paste is already integrated in this polishing bit. Speed range: up to 10,000 rpm

Art. 198570

Chamois polisher, leather

For polishing natural nails. Also for artificial nails when combined with a polishing paste. The surface structure of the leather creates a beautiful lustre on the natural nail plate. Speed range: up to 10,000 rpm

Art. 198571

Soft polisher, textile

For polishing artificial and natural nails to a shine in combination with a polishing paste. Speed range: up to 10,000 rpm

Art. 190086

Polishing brush, goat hair

For cleaning nails and material. Can be used to remove dust residues from nails in hard-to-reach areas, such as around the cuticles. Made from soft goat hair. Speed range: up to 8,000 rpm











Note: All Promed drill bits have a shaft diameter of a standard dental diameter of 2.332 to 2.350 mm.



Useful professional accessories



Art. 198915

Drill bit holder, plastic

Space for 13 drill bits (supplied without bits), white, $100 \times 30 \text{ mm}$



Art. 198900

Acrylic bit holder

Space for 10 drill bits (supplied without bits), transparent, 95×50 mm



Art. 198910

Cleaning brush for bits, brass

For cleaning of drill bits.



Art. 198920

Cleaning brush for bits, nylon

For cleaning of drill bits. Particularly gentle on the bit blades.



Art. 198930

Cleaning brush for bits, nylon

For cleaning of drill bits. Particularly gentle on the bit blades.



Art. 940602 (10) / Art. 940601 (1)

Promed towel

white, small, 30 x 50 cm, scope of delivery: Pack of 10 or single



Art. 952010

Manual for professional nail design

This small, illustrated book discusses the most important techniques for the use of the electrical file and covers all the key topics.

68 pages, 80 illustrations, ISBN 3-9809164-0-5



Art. 190051 - white

Collet – white (for Pedisenso Duo)

fixed screw collet

Art. 190052 - yellow

Collet – yellow (for Pedisenso Duo)

with safety slip disc for diabetics



Handpieces

(Also separately available)



Art. 200601

Promed handpiece KR6

separate for Promed 620



Art. 292001

Promed handpiece PS7

separate only for Promed 625/525 with locking mechanism (not for 520/620)



Art. 201004

Promed handpiece MR.10

separate for Promed 1030 with locking mechanism



Art. 202003

Promed handpiece MR.20

separate for Promed 2020 (from 2015) with locking mechanism



Art. 204002

Promed handpiece POM

separate for Promed 4030-SX2, white



Art. 204007

Promed handpiece 4040

separate for Promed 4040, white, with drawer for filter bags (not available separately)

85

NEW

Foot pedal accessories



Art. 290004

Foot pedal 1

ON/OFF foot pedal with robust plastic casing (100 x 70 x 30 mm)

and rubber feet. Colour: black.

Connection cable with 5 pin plug, cable length: 150 cm Connects to appliances **1030**, **2020**, **2030** and **3020**



Art. 290007

Foot pedal 5

Only connects to model: **4030-SX**, **4030-SX2**Like foot pedal 1, with plastic casing. ON/OFF foot pedal



Art. 290009

Foot pedal 6

Only connects to model: 5040-SX / 5040-SX2

Like foot pedal 1, with plastic casing.

ON/OFF foot pedal (ON by continuously pressing the pedal)



Art. 290010

Foot pedal 7

Only connects to model: 4040

Like foot pedal 1, with plastic casing. ON/OFF foot pedal



Art. 290005

Foot pedal 3

Only connects to models: 4030, 4030 S, 5030,

5040, **5040-SX and 5040-SX2** black, $197 \times 120 \times 47$ mm Digital foot pedal with rocker function in robust, unbreakable plastic design, with rubber feet, cable length: 165 cm



Art. 290008

Foot pedal 4

Only connects to model: **4030-SX** and **4030-SX2** Like foot pedal 3 with rocker function and plastic casing





Replacement micro-fleece filter bags for model 4030 S

in a pack of 6 Art. 195860 in pack of 12 Art. 195864 in pack of 50 Art. 195865

Replacement micro-fleece filter bags for model 4030-SX, 4030-SX2, 4040

(subject to change in terms of technology and colour)

in pack of 10 Art. 195870 in pack of 20 Art. 195871 in pack of 50 Art. 195872



UVL-36, UVL-36 S accessories



Art. 330904 for UVL-36 S

UV lamp tube 1 pc. (9 W, λ = 365 nm, base = G23)



Art. 330905 for UVL-36 S

UV lamp tube 4-ER SET / 4 pcs. (9 W, λ = 365 nm, base = G23)

Nailfan accessories



Art. 230800

Filter unit – washable



Art. 230803

Arm support



Art. 230804

Lattice

Nailfan Mini accessories



Art. 295001

Filter (see Nailfan Mini instructions for cleaning)

AC-4000 accessories



Art. 334001

Filter set



Art. 334002

UVC lamp



Therapy accessories



Art. 270960

Swiss Depil – replacement discs

Replacement depilation disc set (6 pcs.)



Art. 402091

Sleeve for PBM-3.5, size L (32 - 42 cm)

Arm sleeve, size L (32 - 42 cm), grey, for blood pressure monitor



Art. 402093

Power adapter

 \updelta volt mains adapter for blood pressure monitor PBM-3.5, PBW-5.2 and BDS-700, PBM-4.2



Art. 402061

Sleeve for PBM-4.2, size (22 - 42 cm)



Inhaler accessories



Art. 422001

Protective cap for INH-2.1 and INH-2.1R



Art. 422002

Medicines container INH-2.1

Spare medicines container for reordering



Art. 422003

Mouthpiece for INH-2.1 and INH-2.1R

100% latex-free



Art. 422004

Size S mask for INH-2.1 and INH-2.1R

suitable for children, with connecting piece 100% latex-free



Art. 422005

Size L mask for INH-2.1 and INH-2.1R

suitable for adults, with connecting piece 100% latex-free



Art. 422006

Adapter for INH-2.1 and INH-2.1R (image serves only as an example)



TENS/EMS accessory



Art. 359174

Neck electrode

self-adhesive, 1 pc./pack; approx. 13 x 11 cm



Art. 359173

Butterfly electrode

self-adhesive, 2 pcs./pack; 15 x 9.5 cm



Tissue electrode

self-adhesive, 4 pcs./pack; 40 x 40 mm



Tissue electrode

self-adhesive, 4 pcs./pack; 45×45 mm

Art. 359172

Tissue electrode

self-adhesive, 4 pcs./pack; 45 x 35 mm

Art. 359178

Tissue electrode

self-adhesive, 4 pcs./pack; 45 x 80 mm

Art. 359177

Tissue electrode

self-adhesive, 4 pcs./pack; \varnothing 32 mm



Art. 359070

Carbon permanent electrode

4 pcs./pack + 4 pcs. self-adhesive gel pads; 40 x 40 mm (reorder of individual gel pads, art. no. 359280)



Art. 359280

Self-adhesive gel pads

For replacing the used gel pads for the carbon permanent electrodes (art. no. 359070) 40×40 mm, 10 pcs./pack, self-adhesive



TENS/EMS accessory



Art. 359910

TENS contact gel

for refreshing the contact surfaces of the electrodes $-50\,\mathrm{g}$ tube



Art. 359013

Contact cable

Contact cable for **EMT-4**, in pairs



Art. 359014

Contact cable

Contact cable for **EMT-6**, **T-6** and **IT-6**, in pairs



Art. 359011

Contact cable

Contact cable for Promed digi 3000, Promed tens 1000 s, in pairs



Art. 359130

Vaginal probe

Special electrode for vaginal use for the treatment of incontinence and for the training of the pelvic floor muscles (women).



Art. 359131

Anal probe

Special electrode for anal use for the treatment of incontinence and for the training of the pelvic floor muscles.



Art. 359990

Block battery

Battery pack for Promed tens 1000 s, Promed digi tens 3000, $8.4\ V$



Art. 359991

9-volt block battery

9-volt block battery for **Promed tens 1000 s**, **Promed digi tens 3000**



Art. 359995

Battery 4-pack

Battery 4-pack for Promed EMT-4



Art. 359994

Battery 4-pack

Battery 4-pack for EMT-4, EMT-6, T-6



Accessories for blood glucose monitors



Art. M79039

Control solution for MediTouch 2/MediTouch 2 connect EAN 40 15588 79039 3



Art. M79038

Test strips for MediTouch 2/MediTouch 2 connect (2 x 25 pcs.) $_{\rm EAN\ 40\ 15588\ 79038\ 6}$



Art. M79002

Lancing device

EAN 40 15588 79002 7



Art. M79028

Lancets for MediTouch 2/MediTouch 2 connect EAN 40 15588 79028 7

Art. M79049

USB cable for MediTouch 2


EAN 40 15588 79049 2





We will be happy to send you appropriate advertising material:

We continuously update our range of advertising material. Ask our staff team.





Glossary – Products from A-Z

promed = medisana. =

p. 06

p. 04

p. 05

p. 34

p. 29 p. 30 p. 30

p. 72 p. 72 p. 71 p. 70 p. 71 p. 71 p. 70 p. 70 p. 72 p. 71

		broweg =	medisana.=	
	A			Air purifiers
	Aroma diffusers:			AC-4000
	AL-150 WS aroma diffuser	p. 46		
	AL-240 FL aroma diffuser	p. 45		M/N
	AL-400 CL aroma diffuser	p. 45		Masks:
	AL-1300 WS aroma diffuser	p. 44		MNS-100 Particle-filtering half mask
	AL-305 aroma diffuser	p. 46		MNS-100 Black particle-filtering half mask
	Aromatic essences/aromatic oils:	40	_	Massage appliances:
	Apple-cinnamon (10 ml)	p. 49		ITM Pro hand massage appliance
	Be Happy (10 ml)	p. 48		
	Eucalyptus (10 ml)	p. 48		0/P
	Grapefruit (10 ml)	p. 49		Pulse oximeters:
	Lavender (10 ml)	p. 48		PM-200 Pro fingertip pulse oximeter
	Lemon Grass (10 ml)	p. 48		PM-100 pulse oximeter
	Lime (10 ml)	p. 49		PM-100 Connect pulse oximeter
	Orange (10 ml)	p. 48		·
	Peach (10 ml)	p. 49		S
	Relax (10 ml)	p. 48		Drill bit sets:
	Rose (10 ml)	p. 49		Comfort set
	Vanilla (10 ml)	p. 49		Callus set
	Wild cherry (10 ml)	p. 49		Basic sculpting set
	Cinnamon (10 ml)	p. 48		Blue Mix sculpting set
	Cinnamon-orange (10 ml)	p. 49		Carbide bit set Pro sculpting set
	Lemon (10 ml)	p. 49		Master sculpting set
	_			Ceramic sculpting set
	В			Rainbow sculpting set
	Blood pressure monitors:			Natural set
	PBM-3.5 Upper arm blood pressure m	onitor p. 25		Personal Care set
	PBM-4.2 Upper arm blood pressure m	onitor p. 25	_	reisellar care ser
	HGP-30 wrist blood pressure monitor	p . 26		
	Blood glucose monitor:			
	Meditouch 2	p. 31		
	Meditouch 2 connect DUAL	р. 31		
	Disinfection:	1./		
	UC-50 ultrasonic cleaner	p. 16		
	E /E			
	E/F			
	Electrical files			
_	Professional and Personal Care:	00		
	Enotion	p. 22		
	Feeling	p 23		
	Pedimed	p. 20		
	Pedisenso Duo	p. 21		
	Sensitive	p. 22		
	the file - 620	p. 15		
	the file - 620 deluxe	p. 20		
	the file - 625	p. 15		
	the file - 1030	p. 14		
	the file - 2020	p. 14		
	the file - 4030-SX2	p. 12		
	the file - 4040	p. 10		
	the file - 5040-SX2	p. 13		
	Ultra pro S	р. 21		
	171			
	1/J			
	Inhalation:			
	INH-2.1R Ultrasonic inhaler	p. 26		
	I			
	Intimate care:			
	"Orchid" douche	р. 36		
	"Rose" douche	p. 36		
		1 -		



p. 19 p. 19

K/L Lamps/light: LTL-749 table lamp LTM-30 table magnifier lamp

Glossary – Products from A-Z

promed = medisana. =

Drill bits: Blue Mix bits Diamond bits Diamond bits with cooling channels Carbide bit, blue series Carbide bit, yellow series Carbide bit, red series Carbide bit, red series Carbide bit, purple series Carbide bit, purple series Ceramic bits Mandrels Polishing bits Rainbow bits Sandpaper bits Sapphire bits Steel milling tool – stainless Stone bits Titanium bits	p. 74 p. 78 p. 79 p. 76 p. 76 p. 76 p. 77 p. 75 p. 73 p. 80 p. 82 p. 74 p. 81 p. 79 p. 77 p. 75
Shoes: Pedibelle: Pedibelle Alexander Pedibelle Anna Pedibelle Eleine Pedibelle Jonas	p. 58 p. 57 p. 57 p. 58
Post-op shoes: Flex 2 GentleWalk-Hi GentleWalk-Lo Grainau München 2 LXL München 3 Pantomobil D Sanicabrio Sanicabrio DXL Sanicabrio LXL Sanisoft Sanisoft D TheraLight 1 Theramed D1 Theramed D3 Wallgau	p. 59 p. 63 p. 63 p. 60 p. 64 p. 64 p. 66 p. 62 p. 61 p. 63 p. 62 p. 66 p. 62 p. 65 p. 65 p. 65 p. 65
Soles: Replacement insoles Huber heel spur Huber joint relief Huber hallux-valgus	p. 67 p. 69 p. 69 p. 68
Spa: FB-100 Foot spa	p. 35
Dust suction: Nailfan Nailfan mini	p. 17 p. 17
T TENS/EMS appliance: EMT-4 EMT-6 Combination appliance IT-6 Tens 1000 s	p. 33 p. 32 p. 32 p. 33
Thermometers: IRT-80 Infra-red thermometer IRT-100 Infra-red thermometer PFT-3.7 Digital clinical thermometer	p. 28 p. 27 p. 28
U/V UV lamps: UVL-36 S UVL-54 "All-In"	p. 18 p. 18

W/X Heating

Heating products:	
HGP-1.7 Heated belt	p. 41
HKP-1.2H cosy heating pad	p. 42
HKP-1.6 XL cosy heating pad	p. 42
KFS-100Foot warmer	p. 43
HKP-1.8 XXL Heating pad	p. 39
KHP-2.3 Cosy heating blanket	p. 38
KHP-2.3G Cosy heating blanket	p. 38
KHP-2.3S Knitted heating blanket	p. 39
NRP-2.0 Shoulder and neck heating pad	p. 40
NRP-2.4 Back and neck heating pad	p. 41
NRP-5.4 Back and neck heating pad	p. 40
UBS-2.4 Underbed	p. 43

Y/Z

Accessor	ies:
D	/ _

Medisana accessories:

Batteries / rechargeable batteries	p. 91
Electrodes	p. 90
Replacement filter bag	p. 86
Foot pedals	p. 86
Handpieces	p. 85
Inhaler	p. 89
Contact gel	p. 91
Contact cable	p. 91
Air purifier accessories	p. 87
Sleeves	р. 88
Nailfan accessories	p. 87
Nailfan Mini Accessories	p. 87
Professional accessories	р. 84
UVL-36, UVL-36 S accessories	p. 87
Vaginal/anal probe	p. 91

p. 92



Your contact persons

Head office / order processing:

Tel.: +49 (0)8821/9621-0 info@promed.de

Management, marketing and sales:

Andreas Schuster Tel.: +49 (0)8821/9621-0

Export and mail order retail:

Tel.: +49 (0)8821/9621-12

Service / returns:

Tel.: +49 (0)8821/909 65 50

Field service

Bernd Hegeler

DE region postcode: 2, 3, 49 Tel.: 0151/174 815 13

Marlon Osthoff

DE region postcode: 4 (without 49); 5 without 55 Tel.: 0171/777 71 80

Gabriele Zimmer

DE region postcode: 55, 6, 7, 88, 89 Tel.: 0171/932 18 85

Ms. Gedak

DE region postcode: 80-87; 90-97 Tel.: 0151/113 273 51

Hours of business:

Monday - Thursday: 08:00 - 12:00 hrs. and 13:00 - 17:00 hrs. Friday: 08:00 - 12:00 hrs.

Returns address

(packages/returns):

Promed GmbH, Bischofstr. 1, D-82490 Farchant

Legal notice

Amendments / GTC

We reserve the right to make technical changes, further developments, printing errors, typesetting errors and mistakes without notice. Our current terms and conditions are available on our website at all times.

Copyright

The information published in the catalogue (text and image material, graphics) and its structure are subject to the copyright of Promed GmbH, and in some cases also to the copyright of third parties. Duplication, distribution, reproduction and transmission, storage or other use are expressly prohibited without our written consent

© Copyright 2024, Promed GmbH, Germany



Lindenweg 11 D-82490 Farchant Germany

Tel. +49 (0)8821/9621-0 Fax +49 (0)8821/9621-21

Email: info@promed.de Internet: www.promed.de

Operations manager: Manfred Eiberger Managing directors: Andreas Schuster, Thomas Hollefeld

HRB: 135838 VAT ID: DE 1283/68339





